

NOTICE OF
CANCELLATION

INCH-POUND

MS16632B
NOTICE 1
1 DECEMBER 1999

MILITARY STANDARD

RING, RETAINING, EXTERNAL, CRESCENT
(REDUCED SECTION TYPE)

MS16632B, dated 30 Apr 1990, is hereby cancelled. Future acquisitions for this product should refer to American Society of Mechanical engineers (ASME) B18.27.2, Tapered and Reduced Cross Section External Retaining Rings (Inch), ASME B18.24.1, Part Identifying Number (PIN) Code System Standard for B18 Non-threaded Products and the attached supersession table. (Applications for copies of publication should be addressed to the American Society of Mechanical Engineers, 345 East 47th Street, New York, NY 10017-2392.)

Custodians:

Army - AR
Navy - OS
Air Force - 99

Preparing Activity:
DLA-IS

(Project No. 5365 – 0256)

Review Activities:

Army – MI
Navy – AS
Air Force – 82

AMSC N/A

FSC 5365

DSITRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

MS16632B

PARTNUMBER	ASME PARTNUMBER
MS16632-100	R272NAC0100056NNPF or R272NAC0100056NNEF or R272NAC0100056NNCE or R272NAC0100056NNDD or R272NAC0100056NNNF
MS16632-1012	R272NAC0012056NNPF or R272NAC0012056NNEF
MS16632-1015	R272NAC0015056NNPF or R272NAC0015056NNEF
MS16632-1018	R272NAC0018056NNPF or R272NAC0018056NNEF
MS16632-1021	R272NAC0021056NNPF or R272NAC0021056NNEF
MS16632-1023	R272NAC0023056NNPF or R272NAC0023056NNEF
MS16632-1025	R272NAC0025056NNPF or R272NAC0025056NNEF
MS16632-1028	R272NAC0028056NNPF or R272NAC0028056NNEF
MS16632-1031	R272NAC0031056NNPF or R272NAC0031056NNEF
MS16632-1037	R272NAC0037056NNPF or R272NAC0037056NNEF
MS16632-1040	R272NAC0040056NNPF or R272NAC0040056NNEF
MS16632-1043	R272NAC0043056NNPF or R272NAC0043056NNEF
MS16632-1050	R272NAC0050056NNPF or R272NAC0050056NNEF
MS16632-1056	R272NAC0056056NNPF or R272NAC0056056NNEF
MS16632-1062	R272NAC0062056NNPF or R272NAC0062056NNEF
MS16632-1068	R272NAC0068056NNPF or R272NAC0068056NNEF
MS16632-1075	R272NAC0075056NNPF or R272NAC0075056NNEF
MS16632-1081	R272NAC0081056NNPF or R272NAC0081056NNEF
MS16632-1087	R272NAC0087056NNPF or R272NAC0087056NNEF
MS16632-1093	R272NAC0093056NNPF or R272NAC0093056NNEF
MS16632-1100	R272NAC0100056NNPF or R272NAC0100056NNEF
MS16632-1112	R272NAC0112056NNPF or R272NAC0112056NNEF
MS16632-112	R272NAC0112056NNPF or R272NAC0112056NNEF or R272NAC0112056NNCE or R272NAC0112056NNDD or R272NAC0112056NNNF
MS16632-1125	R272NAC0125056NNPF or R272NAC0125056NNEF
MS16632-1137	R272NAC0137056NNPF or R272NAC07056NNEF

PARTNUMBER	ASME PARTNUMBER
MS16632-1150	R272NAC0150056NNPF or R272NAC0150056NNEF
MS16632-1162	R272NAC0162056NNPF or R272NAC0162056NNEF
MS16632-1175	R272NAC0175056NNPF or R272NAC0175056NNEF
MS16632-1200	R272NAC0200056NNPF or R272NAC0200056NNEF
MS16632-12	R272NAC0012056NNPF or R272NAC0012056NNEF or R272NAC0012056NNCE or R272NAC0012056NNDD or R272NAC0012056NNNF
MS16632-125	R272NAC0125056NNPF or R272NAC0125056NNEF or R272NAC0125056NNCE or R272NAC0125056NNDD or R272NAC0125056NNNF
MS16632-137	R272NAC0137056NNPF or R272NAC0137056NNEF or R272NAC0137056NNCE or R272NAC0137056NNDD or R272NAC0137056NNNF
MS16632-150	R272NAC0150056NNPF or R272NAC0150056NNEF or R272NAC0150056NNCE or R272NAC0150056NNDD or R272NAC0150056NNNF
MS16632-150	R272NAC0150056NNPF or R272NAC0150056NNEF or R272NAC0150056NNCE or R272NAC0150056NNDD or R272NAC0150056NNNF
MS16632-175	R272NAC0175056NNPF or R272NAC0175056NNEF or R272NAC0175056NNCE or R272NAC0175056NNDD or R272NAC0175056NNNF
MS16632-18	R272NAC0018056NNPF or R272NAC0018056NNEF or R272NAC0018056NNCE or R272NAC0018056NNDD or R272NAC0018056NNNF
MS16632-200	R272NAC0200056NNPF or R272NAC0200056NNEF or R272NAC0200056NNCE or R272NAC0200056NNDD or R272NAC0200056NNNF
MS16632-21	R272NAC0021056NNPF or R272NAC0021056NNEF or R272NAC0021056NNCE or R272NAC0021056NNDD or R272NAC0021056NNNF
MS16632-2012	R272NAC0012056NNDD or R272NAC0012056NNCE
MS16632-2015	R272NAC0015056NNDD or R272NAC0015056NNCE

MS16632B

PARTNUMBER	ASME PARTNUMBER
MS16632-2018	R272NAC0018056NNDD or R272NAC0018056NNCE
MS16632-2021	R272NAC0021056NNDD or R272NAC0021056NNCE
MS16632-2023	R272NAC0023056NNDD or R272NAC0023056NNCE
MS16632-2025	R272NAC0025056NNDD or R272NAC0025056NNCE
MS16632-2028	R272NAC0028056NNDD or R272NAC0028056NNCE
MS16632-2031	R272NAC0031056NNDD or R272NAC0031056NNCE
MS16632-2037	R272NAC0037056NNDD or R272NAC0037056NNCE
MS16632-2040	R272NAC0040056NNDD or R272NAC0040056NNCE
MS16632-2043	R272NAC0043056NNDD or R272NAC0043056NNCE
MS16632-2050	R272NAC0050056NNDD or R272NAC0050056NNCE
MS16632-2056	R272NAC0056056NNDD or R272NAC0056056NNCE
MS16632-2062	R272NAC0062056NNDD or R272NAC0062056NNCE
MS16632-2068	R272NAC0068056NNDD or R272NAC0068056NNCE
MS16632-2075	R272NAC0075056NNDD or R272NAC0075056NNCE
MS16632-2081	R272NAC0081056NNDD or R272NAC0081056NNCE
MS16632-2087	R272NAC0087056NNDD or R272NAC0087056NNCE
MS16632-2093	R272NAC0093056NNDD or R272NAC0093056NNCE
MS16632-2100	R272NAC0100056NNDD or R272NAC0100056NNCE
MS16632-2112	R272NAC0112056NNDD or R272NAC0112056NNCE
MS16632-2125	R272NAC0125056NNDD or R272NAC0125056NNCE
MS16632-2137	R272NAC0137056NNDD or R272NAC0137056NNCE
MS16632-2150	R272NAC0150056NNDD or R272NAC0150056NNCE
MS16632-2162	R272NAC0162056NNDD or R272NAC0162056NNCE
MS16632-2175	R272NAC0175056NNDD or R272NAC0175056NNCE
MS16632-2200	R272NAC0200056NNDD or R272NAC0200056NNCE
MS16632-23	R272NAC0023056NNPF or R272NAC0023056NNEF or R272NAC0023056NNDD or R272NAC0023056NNNF

PARTNUMBER	ASME PARTNUMBER
MS16632-25	R272NAC0025056NNPF or R272NAC0025056NNEF or R272NAC0025056NNCE or R272NAC0025056NNDD or R272NAC0025056NNNF
MS16633-28	R272NAC0028056NNPF or R272NAC0028056NNEF or R272NAC0028056NNCE or R272NAC0028056NNDD or R272NAC0028056NNNF
MS16632-3012	R272NAC0012056NNNF
MS16632-3015	R272NAC0015056NNNF
MS16632-3018	R272NAC0018056NNNF
MS16632-3021	R272NAC0021056NNNF
MS16632-3023	R272NAC0023056NNNF
MS16632-3025	R272NAC0025056NNNF
MS16632-3028	R272NAC0028056NNNF
MS16632-3031	R272NAC0031056NNNF
MS16632-3037	R272NAC0037056NNNF
MS16632-3040	R272NAC0040056NNNF
MS16632-3043	R272NAC0043056NNNF
MS16632-3050	R272NAC0050056NNNF
MS16632-3056	R272NAC0056056NNNF
MS16632-3062	R272NAC0062056NNNF
MS16632-3068	R272NAC0068056NNNF
MS16632-3075	R272NAC0075056NNNF
MS16632-3081	R272NAC0081056NNNF
MS16632-3087	R272NAC0087056NNNF
MS16632-3093	R272NAC0093056NNNF
MS16632-3100	R272NAC0100056NNNF
MS16632-3112	R272NAC0112056NNNF
MS16632-3125	R272NAC0125056NNNF
MS16632-3137	R272NAC0137056NNNF
MS16632-3150	R272NAC0150056NNNF
MS16632-3162	R272NAC0162056NNNF
MS16632-3175	R272NAC0175056NNNF
MS16632-3200	R272NAC0200056NNNF
MS16632-31	R272NAC0031056NNPF or R272NAC0031056NNEF or R272NAC0031056NNCE or R272NAC0031056NNDD or R272NAC0031056NNNF
MS16632-37	R272NAC0037056NNPF or R272NAC0037056NNEF or R272NAC0037056NNCE or R272NAC0037056NNDD or R272NAC0037056NNNF
MS16632-40	R272NAC0040056NNPF or R272NAC0040056NNEF or R272NAC0040056NNCE or R272NAC0040056NNDD or R272NAC0040056NNNF
MS16632-4012	R272NAC0012119NNQA or R272NAC0012119NNQD
MS16632-4015	R272NAC0015119NNQA or R272NAC0015119NNQD

MS16632B

PARTNUMBER	ASME PARTNUMBER
MS16632-4018	R272NAC0018119NNQA or R272NAC0018119NNQD
MS16632-4021	R272NAC0021119NNQA or R272NAC0021119NNQD
MS16632-4023	R272NAC0023119NNQA or R272NAC0023119NNQD
MS16632-4025	R272NAC0025119NNQA or R272NAC0025119NNQD
MS16632-4025	R272NAC0025119NNQA or R272NAC0025119NNQD
MS16632-4028	R272NAC0028119NNQA or R272NAC0028119NNQD
MS16632-4031	R272NAC0031119NNQA or R272NAC0031119NNQD
MS16632-4037	R272NAC0037119NNQA or R272NAC0037119NNQD
MS16632-4040	R272NAC0040119NNQA or R272NAC0040119NNQD
MS16632-4043	R272NAC0043119NNQA or R272NAC0043119NNQD
MS16632-4050	R272NAC0050119NNQA or R272NAC0050119NNQD
MS16632-4056	R272NAC0056119NNQA or R272NAC0056119NNQD
MS16632-4062	R272NAC0062119NNQA or R272NAC0062119NNQD
MS16632-4068	R272NAC0068119NNQA or R272NAC0068119NNQD
MS16632-4075	R272NAC0075119NNQA or R272NAC0075119NNQD
MS16632-4081	R272NAC0081119NNQA or R272NAC0081119NNQD
MS16632-4087	R272NAC0087119NNQA or R272NAC0087119NNQD
MS16632-4093	R272NAC0093119NNQA or R272NAC0093119NNQD
MS16632-4100	R272NAC0100119NNQA or R272NAC0100119NNQD
MS16632-4112	R272NAC0112119NNQA or R272NAC0112119NNQD
MS16632-4125	R272NAC0125119NNQA or R272NAC0125119NNQD
MS16632-4137	R272NAC0137119NNQA or R272NAC0137119NNQD
MS16632-4150	R272NAC0150119NNQA or R272NAC0150119NNQD
MS16632-4162	R272NAC0162119NNQA or R272NAC0162119NNQD
MS16632-4175	R272NAC0175119NNQA or R272NAC0175119NNQD
MS16632-4200	R272NAC0200119NNQA or R272NAC0200119NNQD
MS16632-43	R272NAC0043056NNPF or R272NAC0043056NNEF or R272NAC0043056NNCE or R272NAC0043056NNDD or R272NAC0043056NNNF

PARTNUMBER	ASME PARTNUMBER
MS16632-50	R272NAC0050056NNPF or R272NAC0050056NNEF or R272NAC0050056NNCE or R272NAC0050056NNDD or R272NAC0050056NNNF
MS16632-5012	R272NAC0012643NNAA
MS16632-5015	R272NAC0015643NNAA
MS16632-5018	R272NAC0018643NNAA
MS16632-5021	R272NAC0021643NNAA
MS16632-5023	R272NAC0023643NNAA
MS16632-5025	R272NAC0025643NNAA
MS16632-5028	R272NAC0028643NNAA
MS16632-5031	R272NAC0031643NNAA
MS16632-5037	R272NAC0037643NNAA
MS16632-5040	R272NAC0040643NNAA
MS16632-5043	R272NAC0043643NNAA
MS16632-5050	R272NAC0050643NNAA
MS16632-5056	R272NAC0056643NNAA
MS16632-5062	R272NAC0062643NNAA
MS16632-5068	R272NAC0068643NNAA
MS16632-5075	R272NAC0075643NNAA
MS16632-5081	R272NAC0081643NNAA
MS16632-5087	R272NAC0087643NNAA
MS16632-5093	R272NAC0093643NNAA
MS16632-5100	R272NAC0100643NNAA
MS16632-5112	R272NAC0112643NNAA
MS16632-5125	R272NAC0125643NNAA
MS16632-5137	R272NAC0137643NNAA
MS16632-5150	R272NAC0150643NNAA
MS16632-5162	R272NAC0162643NNAA
MS16632-5175	R272NAC0175643NNAA
MS16632-5200	R272NAC0200643NNAA
MS16632-56	R272NAC0056056NNPF or R272NAC0056056NNEF or R272NAC0056056NNCE or R272NAC0056056NNDD or R272NAC0056056NNNF
MS16632-62	R272NAC0062056NNPF or R272NAC0062056NNEF or R272NAC0062056NNCE or R272NAC0062056NNDD or R272NAC0062056NNNF
MS16632-68	R272NAC0068056NNPF or R272NAC0068056NNEF or R272NAC0068056NNCE or R272NAC0068056NNDD or R272NAC0068056NNNF
MS16632-75	R272NAC0075056NNPF or R272NAC0075056NNEF or R272NAC0075056NNCE or R272NAC0075056NNDD or R272NAC0075056NNNF
MS16632-81	R272NAC0081056NNPF or R272NAC0081056NNEF or R272NAC0081056NNCE or R272NAC0081056NNDD or R272NAC0081056NNNF

MS16632B

PARTNUMBER	ASME_PARTNUMBER
MS16632-87	R272NAC0087056NNPF or R272NAC0087056NNEF or R272NAC0087056NNCE or R272NAC0087056NNDD or R272NAC0087056NNNF

PARTNUMBER	ASME_PARTNUMBER
MS16632-93	R272NAC0093056NNPF or R272NAC0093056NNEF or R272NAC0093056NNCE or R272NAC0093056NNDD or R272NAC0093056NNNF