


NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have furnished, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the Bureau of Ships Department of the Navy and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

(A) CANCELED AFTER 23 JULY 1984. NO SUPERSEDING STANDARD.

FED. SUP CLASS
5975



MS part No.	Description	Quantity	FIG
MS17013-1	{ Bushing - MS17016-1 Sleeve - MS17014-1 Tube - MS17015-2	1 1 1	

REQUIREMENTS

1. All dimensions in inches.
2. Unless otherwise specified, tolerances shall be $\pm 1/64$ on fractions, ± 0.005 on decimals and $\pm 1/2$ degree on angles.
3. Ceramic to metal seal shall be such as to accomplish a complete hermetic seal suitable for operation continually at high temperatures and shall be resistant to corrosion, humidity, shock and vibration.
4. Terminals shall be suitable for field application by silver brazing.
5. This standard takes precedence over documents referenced herein.
6. Referenced documents shall be the issue in effect on date of invitation for bids.

P.A. Ships Other Cust	TITLE TERMINAL, ELECTRIC (HERMETIC SEAL), SINGLE CONDUCTOR, AWG 14/1	MILITARY STANDARD MS 17013 (SHIPS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:	SHEET 1 OF 1

DD FORM 1 SEP 57 672-1N

LIMITED COORDINATION

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

(Project 5975-0008Sh)

APPROVED 7 JULY 1959 REVISED (A) 23 JULY 1984