


FED. SUP CLASS  
1660

DASH NO.	MAX WEIGHT	SUPERSEDING
-1	.07 POUND	AN6030-1 STYLE A

THE SUPERSEDING DASH NUMBER IS DIMENSIONALLY AND FUNCTIONALLY INTERCHANGEABLE WITH THE SUPERSEDED AN NUMBER.

MATERIAL: SEE PROCUREMENT SPECIFICATION.


FINISH: SURFACE ROUGHNESS 125 MICROINCHES MAX IN ACCORDANCE WITH (B)ANSI B 46.1

OPPOSITE FITTING ENDS SHALL BE CONCENTRIC WITH EACH OTHER WITHIN .032 FULL INDICATOR READING.

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS  $\pm .031$ ; ANGLES  $\pm 1^\circ$ .

FOR DESIGN FEATURE PURPOSES THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.  
REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

P.A. USAF - 99	TITLE VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS	MILITARY STANDARD MS21211
Other Cust Army - AV Navy - AS		
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 1 OF 8

FED. SUP CLASS  
1660


DASH NO.	MAX WEIGHT	SUPERSEDING
-2	.14 POUND	AN6031-1 STYLE B

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 5 Mar 65 REVISED A FOR CHANGES SEE SHEET 5. B

P.A. USAF - 99	TITLE.	MILITARY STANDARD
Other Cust Army - AV Navy - AS	VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS	MS21211
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 2 OF 8

FED. SUP CLASS  
1660




DASH NO.	MAX WEIGHT	SUPERSEDING
-3	.15 POUND	AN6032-1 STYLE C

APPROVED 5 Mar 65 REVISED (A) FOR CHANGES SEE SHEET 5. (B)

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. USAF - 99	TITLE	MILITARY STANDARD
Other Cust Army - AV Navy - AS	VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS	MS21211
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 3 OF 8

FED. SUP CLASS  
1660

DASH NO.	MAX WEIGHT	SUPERSEDING
4	.155 POUND	AN6033-1 STYLE D

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 5 Mar 65 REVISED (A) FOR CHANGES SEE SHEET 5. (B)

P.A. USAF - 99

Other Cust  
Army - AV  
Navy - ASProcurement Specification  
MIL-V-7908


TITLE

VALVES, CHECK, AIRCRAFT  
LOW PRESSURE OXYGEN SYSTEMSSUPERSEDES: AN6030, AN6031, AN6032, AN6033,  
AN6034, AN6035, AN6036, AN6037

MILITARY STANDARD

MS21211

SHEET 4 OF 8


FED. SUP CLASS  
1660

DASH NO.	MAX WEIGHT	SUPERSEDING
-5	.20 POUND	AN6034-1 STYLE E

This military standard is approved by the Department of Defense and is mandatory on all activities. Substitution for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 5 Mar 65 REVISED (A) FOR CHANGES SEE SHEET 5. (B)


P.A. USAF - 99	TITLE	MILITARY STANDARD
Other Cust Army - AV Navy - AS	VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS	MS21211
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 5 OF 8

FED. SUP CLASS  
1660

DASH NO.	MAX WEIGHT	SUPERSEDING
-6	.07 POUND	AN6035-1 STYLE F

APPROVED 5 Mar 65 REVISED A FOR CHANGES SEE SHEET 5. B

P.A. USAF - 89	TITLE	MILITARY STANDARD
Other Cust Army - AV Navy - AS	VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS	MS21211
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 6 OF 8


FED. SUP CLASS  
1660

DASH NO.	MAX WEIGHT	SUPERSEDING
-7	.07 POUND	AN6036-1 STYLE G

APPROVED 5 Mar 65 REVISED (A) FOR CHANGES SEE SHEET 5. (B)

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. USAF - 99	TITLE	MILITARY STANDARD
Other Cust Army - AV Navy - AS	VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS	MS21211
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 7 OF 8

FED. SUP CLASS  
1660

DASH NO.	MAX WEIGHT	SUPERSEDING
-8	.11 POUND	AN6037-1 STYLE H

APPROVED 5 Mar 65 REVISED A FOR CHANGES SEE SHEET 5. B

P.A. USAF -99	TITLE VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS	MILITARY STANDARD
Other Cust Army - AV Navy - AS		MS21211
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 8 OF 8