


FED. SUP CLASS
1660

(DOUBLE OUTLET DESIGN SHOWN)

DASH NO.	SUPERSEDED TYPES	INTERNAL VOLUME CU. INCH MIN	WEIGHT LBS MAX	LENGTH INCHES MAX	DIA INCHES MIN	NUMBER OF OPENINGS
-1	A-6 MIL-C-5435	280	3.75	14.500	5.750	1
-2	B-3 MIL-C-5436	280	3.75	15.000	5.750	2
-3	D-2 MIL-C-5887	500	5.75	23.500	5.750	2
-4	F-1 MIL-C-5888	1000	10.00	18.000	10.125	2
-5	F-2 MIL-C-5889	1000	11.00	44.500	5.750	2
-6	G-1 MIL-C-5890	2100	18.00	24.500	12.562	2
-7	J-1 MIL-C-5891	18000	155.00	49.250	24.500	2

NOTES:

1. THREADS SHALL BE IN ACCORDANCE WITH MIL-P-7105.
2. INTERNATIONAL INTEREST:
CERTAIN PROVISIONS (UNITS OF MEASUREMENT AND MARKING OF CYLINDERS) OF THIS STANDARD ARE THE SUBJECT OF INTERNATIONAL STANDARDIZATION AGREEMENT STANAG 3056. WHEN REVISION OR CANCELLATION OF THIS STANDARD IS PROPOSED, THE DEPARTMENTAL CUSTODIAN WILL INFORM THEIR RESPECTIVE DEPARTMENTAL STANDARDIZATION OFFICE SO THAT APPROPRIATE ACTION MAY BE TAKEN RESPECTING THE INTERNATIONAL AGREEMENT CONCERNED.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

P.A. USAF - 99 Other Govt ARMY - AV NAVY - AS USAF - 99	INTERNATIONAL INTEREST	TITLE CYLINDER, OXYGEN, LOW PRESSURE	MILITARY STANDARD	
	SEE NOTE		MS21227	
PROCUREMENT SPECIFICATION MIL-C-5886		SUPERSEDES TYPE LISTED IN TABLE	SHEET	OF
			1	1

DD FORM 672-1 (Continued)

1660-0137

Base activities:

Review activities:

 ARMY - AV
 NAVY - AS
 USAF - 99

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 29 MAY 64 REVISED 12 NOV 57