


FED. SUP CLASS
1680



SECTION A-A

1. PROVISION OF A SEALING VALVE IS OPTIONAL AND GROUND EQUIPMENT IS TO BE DESIGNED TO OPERATE WHEN COUPLED TO AN AIRCRAFT COUPLING WITH OR WITHOUT A SEALING VALVE.
2. MATERIAL: STEEL, CORROSION RESISTANT, QQ-S-764, TYPE 303, CONDITION A.
3. REMOVE ALL BURRS AND BREAK SHARP EDGES.
4. DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ±.010.
5. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.
- (A) 6. THIS STANDARD IS THE SUBJECT OF INTERNATIONAL STANDARDIZATION AGREEMENT ASQC AIR STANDARD 17/34 AND NATO STANAG 3663 ASP. WHEN AMENDMENT, REVISION, OR CANCELLATION OF THIS STANDARD IS PROPOSED WHICH AFFECTS OR VIOLATES THE INTERNATIONAL AGREEMENT CONCERNED, THE PREPARING ACTIVITY WILL TAKE APPROPRIATE RECONCILIATION ACTION THROUGH INTERNATIONAL STANDARDIZATION CHANNELS, INCLUDING DEPARTMENTAL STANDARDIZATION OFFICES, IF REQUIRED.

THIS IS A DESIGN STANDARD AND SHALL NOT BE USED AS A PART NUMBER

P.A. Air Force - 11 Other Cust Army - AV Navy - AS	INTERNATIONAL INTEREST ASQC AIR STD. 17/34 (NATO STANAG 3663 ASP)	TITLE COUPLING END, 1-INCH, DRINKING WATER, SERVICE, AIRCRAFT, STANDARD DIMENSIONS FOR	MILITARY STANDARD MS21391
	PROCUREMENT SPECIFICATION NONE	SUPERSEDES:	SHEET 1 OF 1

Review activities:
Army - AV
Navy - AS
USAF - 82

THIS MILITARY STANDARD IS MANDATORY FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE. SELECTION FOR ALL NEW ENGINEERING AND DESIGN APPLICATIONS AND FOR REPETITIVE USE SHALL BE MADE FROM THIS DOCUMENT.

APPROVED 22 Jan 73
REVISED (A) 23 Jun 76