


REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THE SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE SOLICITATION: MIL-C-19248

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

FORM APPROVED
OMB NO.0704-0188



NOTES:


1. **MATERIAL:**
 - 2 AND -3 SHALL BE ALUMINUM ALLOY, QQ-A-591, ALLOY NO. 360, OR ALUMINUM ALLOY, QQ-A-596, ALLOY 356.
 - 4 SHALL BE SPRING STEEL WIRE, MIL-S-8558, SPRING TEMPER, MIL-H-8875.
 - 5 SHALL BE RUBBER, ZZ-R-765 CLASS 3, GRADE 50.
 - 7 SHALL BE BRASS, QQ-B-626, ALLOY 360 HALF HARD.
 - (E) -8 SHALL BE PACKING, OMNI LIGHT, STYLE 961 OR EQUIVALENT. [SOURCE FOR OMNI LIGHT STYLE 961 - J.M. CLIPPER CORP. (CAGE CODE 48482), 403 INDUSTRIAL DRIVE, NACOGDOCHES, TX 75961].
 - 9 SHALL BE MUSIC WIRE, STEEL, QQ-W-470.
 - 10 SHALL BE RUBBER 65% OF NEW FIRST QUALITY, NON-BLOOMING AND MAY CONTAIN 20% OF REGRIND RUBBER OF THE SAME OR EQUAL STOCK. PHYSICAL CHARACTERISTICS, TO BE ACCEPTABLE TO PROCURING AGENCY 60 ± 5 DUROMETER HARDNESS.
 - 11 SHALL BE ALUMINUM ALLOY, QQ-A-225/8, TEMPER T-4.
 - 12 SHALL BE ALUMINUM ALLOY, QQ-A-250/4, TEMPER T-3.
 - 13 SHALL BE TAPE, NYLON, MIL-W-4088, TYPE I CUT LENGTH 14.250 ± .250.
2. **FINISH:**
 - ANODIZE PER MIL-A-8625. -2, TYPE II, RED, -3, TYPE II, -11 AND -12, TYPE I.
 - CHROMEPLATE -4 PER QQ-C-320, CLASS 2, TYPE I, .0003 MIN. THICKNESS.
 - CADMIUM PLATE -7 AND -9 PER QQ-P-416, TYPE II CLASS 3 OR ZINC PLATE, QQ-Z-325, TYPE II, CLASS 2.
 - STRAP ASSEMBLY -6 SHALL BE OLIVE DRAB, COLOR 34087 OF FED STD NO. 595.
3. **SURFACE TEXTURE:**
 - IN ACCORDANCE WITH ANSI B46.1 "-2 ADAPTER MALE" SHALL BE 63 MICROINCHES ALL OVER. -3 HOUSING AND -4 RETAINING RING SHALL BE 125 MICROINCHES ON ALL SURFACES, EXCEPT AS NOTED.
4. HEAT -9 SPRINGS 500 TO 550°F FOR 5 MINUTES AFTER FORMING. LOAD AT .281 LENGTH IS 3LB ± 10 PERCENT. NO. OF COILS = 8-1/2 ± 1/4. ACTIVE COILS = 4-1/2 ± 1/4.
5. REMOVE ALL BURRS AND SHARP EDGES.
6. DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ± .005, ANGLES ± 1/2°.
7. THE BALOUT COUPLING SHALL BE TIGHTENED TO THE CONNECTOR HOUSING WITH A TORQUE OF 45 ± 5 INCH LBS.
- (E) 8. THREADS SHALL BE IN ACCORDANCE WITH FED-STD-H28.
- (E) 9. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
- (E) 10. REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DoDSS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.

(E) DENOTES CHANGES

PREPARING ACTIVITY: NAVY-AS CUSTODIANS: ARMY- AV AIR FORCE- REVIEW: PROJECT NUMBER: 1680-0885	MILITARY SPECIFICATION SHEET TITLE: CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A	SPECIFICATION SHEET NUMBER MS22016 REV E 4 NOV 94 SUPERSEDING MS22016 REV D 20 FEB 73 AMSC - N/A FSC 1680
DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.		PAGE 1 OF 5

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED THE SOLICITATION: MIL-C-19246

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.



-2 ADAPTER MALE

PREPARING ACTIVITY: NAVY-AS

CUSTODIANS: ARMY- AV

AIR FORCE-

REVIEW:

PROJECT NUMBER: 1660-0665

MILITARY SPECIFICATION SHEET

TITLE:

CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A

SPECIFICATION SHEET NUMBER

MS22016

REV E
4 NOV 94

SUPERSEDING
MS22016 REV D

20 FEB 73

AMSC - N/A


FSC 1660

DISTRIBUTION STATEMENT A APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

PAGE 2 OF 5

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOUTCATION: MIL-C-19246

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.



-3 HOUSING

PREPARING ACTIVITY: NAVY-AS
CUSTODIANS: ARMY- AV
AIR FORCE-
REVIEW:

PROJECT NUMBER: 1660-0665

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

MILITARY SPECIFICATION SHEET

TITLE:

CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A

SPECIFICATION SHEET NUMBER

MS22016

REV E
4 NOV 94


SUPERSEDING
MS22016 REV D 20 FEB 73

AMSC - N/A


FSC 1660

PAGE 3 OF 5


THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-C-19246



-4 RETAINING RING



-5 GASKET



-6 STRAP ASSEMBLY

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

PREPARING ACTIVITY: NAVY-AS
CUSTODIANS: ARMY-AV
AIR FORCE--
REVIEW:

PROJECT NUMBER: 1680-0665

MILITARY SPECIFICATION SHEET

TITLE:

CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A

SPECIFICATION SHEET NUMBER

MS22016

REV E
4 NOV 84

SUPERSEDING

MS22016 REV D 20 FEB 73

AMSC - N/A


FSC 1650

DISTRIBUTION STATEMENT A APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.


PAGE 4 OF 5

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL COMPLY WITH THE SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODDS SPECIFIED AGENCIES OF THE DEPARTMENT OF DEFENSE.


THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.




-7 COUPLING




-8 GASKET COUPLING




-9 SPRING



-10 POPPET



-11 SLEEVE



-12 WASHER

PREPARING ACTIVITY: NAVY-AS
CUSTODIANS: ARMY-AV
AIR FORCE-
REVIEW:

PROJECT NUMBER: 1660-0665

MILITARY SPECIFICATION SHEET

TITLE:

CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A

SPECIFICATION SHEET NUMBER

MS22016

REV E
4 NOV 94

SUPERSEDING

MS22016 REV D

20 FEB 73

AMSC - N/A

FSC 1660

DISTRIBUTION STATEMENT A APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

PAGE 5 OF 5