

USER SYMBOL:

REVIEWER SYMBOL:

NAVY - AS  
ARMY - AV

Technical data information is current as of the date of this document.  
For future coordination of changes to this document, draft information  
should be based on the information in the current DODISS.

This military standard is mandatory for use by all Departments  
& Agencies of the Department of Defense. Selection for all new  
engineering and design applications and for repetitive use shall  
be made from this document.

FED. SUP CLASS 1680																				
<p>SECTION A-A</p> <p>-4 ASSEMBLY</p>																				
<table border="1"> <thead> <tr> <th>DASH NO.</th> <th>PART</th> <th>SUPERSEDED PART NO.</th> </tr> </thead> <tbody> <tr> <td>-1</td> <td>DISC</td> <td>ACEL 700-1</td> </tr> <tr> <td>-2</td> <td>GASKET</td> <td>ACEL 700-3</td> </tr> <tr> <td>-3</td> <td>COVER</td> <td>ACEL 700-4</td> </tr> <tr> <td>-4</td> <td>ASSEMBLY</td> <td>ACEL 700-11</td> </tr> <tr> <td>-5</td> <td>FLAPPER</td> <td></td> </tr> </tbody> </table>			DASH NO.	PART	SUPERSEDED PART NO.	-1	DISC	ACEL 700-1	-2	GASKET	ACEL 700-3	-3	COVER	ACEL 700-4	-4	ASSEMBLY	ACEL 700-11	-5	FLAPPER	
DASH NO.	PART	SUPERSEDED PART NO.																		
-1	DISC	ACEL 700-1																		
-2	GASKET	ACEL 700-3																		
-3	COVER	ACEL 700-4																		
-4	ASSEMBLY	ACEL 700-11																		
-5	FLAPPER																			
<p><b>NOTES:</b></p> <ol style="list-style-type: none"> <li><b>MATERIAL:</b> (a) DISC; CYCOLAC, COLOR, NATURAL, COMMERCIAL. (b) COVER; CELLULOSE ACETATE BUTYRATE 201A-17107-M (CLEAR), MINNESOTA PLASTICS CORP., ST. PAUL, MINN., OR EQUIVALENT. (c) GASKET; SILICONE RUBBER, ZZ-R-785, CL. 1b, GR. 40.</li> <li><b>DIMENSIONS IN INCHES.</b> UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS <math>\pm .010</math>, ANGLES <math>\pm 1/2^\circ</math>.</li> <li><b>THE EDGE MUST NOT BE SHARP ENOUGH TO CUT RUBBER FLAPPER UNDER MODERATELY STRONG THUMB PRESSURE.</b></li> <li><b>INTERCHANGEABILITY RELATIONSHIP:</b> ITEMS IDENTIFIED BY THE MS22056 DASH NUMBERS ARE FUNCTIONALLY AND DIMENSIONALLY INTERCHANGEABLE WITH ITEMS IDENTIFIED BY THE SUPERSEDED ACEL 700 DASH NUMBERS.</li> <li><b>FLAPPER SHOWN FOR INFORMATION PURPOSES ONLY -- DESIGN AND MATERIAL COMPOSITION SHALL BE SUCH TO MEET THE PERFORMANCE REQUIREMENTS OF THE PROCUREMENT SPECIFICATION.</b></li> <li><b>DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH USASI Y14.5-1966.</b></li> </ol> <p>FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.</p> <p>(B) ENTIRE STANDARD REVISED AND REDRAWN</p>																				
<p>P.A. NAVY - AS Other Code ARMY - AV</p>	<p>TITLE VALVE, CHECK, OXYGEN MASK, INLET</p>	<p>MILITARY STANDARD MS22056</p>																		
<p>PROCUREMENT SPECIFICATION MIL-V-21701</p>	<p>SUPERSEDES ACEL 700</p>	<p>SHEET 1 OF 2</p>																		

DD FORM 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

CLASS. &amp; CONTROL

APPROVED 1 APR 64  
REVISED (A) 26 March 1969  
(B) 19 May 1970

USER SYMBOLS:

REVIEWED SYMBOLS:

NAVY - AS  
ARMY - AV

Any new/rev. information is carried on the date of this document.  
For future coordination of changes to this document, draft circulation  
should be based on the information in the current drawing.

This military standard is mandatory for use by all Departments  
& Agencies in the Department of Defense. Selection for all new  
engineering and design applications and for replacement use shall  
be made from this document.

