


FED. SUP CLASS
1660

END 1-1/2 -12 UNF-2B FOR PLUG
END 1-1/2 -12 UNF-2A FOR INSERT



PLUG, ALUMINUM ALLOY


WASHER, RUBBER,
.062 x .750 ID x 1.375 OD, 2 REQD.

WINDOW, GLASS, .125 x 1.375 DIA

UNDERCUT INSERT TO ROOT DIA .078

INSERT, ALUMINUM ALLOY,
.500 x 1.500 DIADETAIL A
HOSE PLUG ASSEMBLY

PLUG, ALUMINUM ALLOY

WASHER, RUBBER,
.062 x .750 ID x 1.375 OD, 2 REQD.

WINDOW, GLASS, .125 x 1.375 DIA

UNDERCUT INSERT TO ROOT DIA .078

INSERT, ALUMINUM ALLOY
.500 x 1.500 DIAEND 1-1/2 -12 UNF-2B FOR PLUG
END 1-1/2 -12 UNF-2A FOR INSERTDETAIL B
PANEL PLUG ASSEMBLYFITTING END IN ACCORDANCE WITH MS33656,
SIZE TO SUIT HOSE SPECIMENPROVIDE THEREADED HOLES
FOR ATTACHING TO FRAME

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ±.002.

P.A. Barry - Wep

Other Cost
DEAF - AFSCPROCUREMENT SPECIFICATION
NONE

TITLE

DELAMINATION TEST STAND FOR OXYGEN HOSE

SUPERSEDES: ACZL DRG 33H1089

MILITARY STANDARD

MS22057(ASG)

SHEET 2


REVISED

APPROVED

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a specifically related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have furnished, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as an endorsement, approval, or any other form of participation in, or support of, the said drawings, specifications, or other data, or any process or method shown or suggested therein, or any other person or organization.

This standard was approved by the Department of the Army and the Department of the Navy and is mandatory for use by all military activities. All other military activities are required to comply with this standard where suitable.

FED. SUP CLASS
1660



REVISED

APPROVED

P.A. Navy - Med Other Cost USAF - AFSC	TITLE DEAMINATION TEST STAND FOR OXYGEN HOSE SUPERSEDES: ACEL DWO 33K1089	MILITARY STANDARD MS22057(ASG) SHEET 3
PROCUREMENT SPECIFICATION NONE		

NOTICE: When Government specifications, or other data are used for any purpose other than in connection with a definitely related Government contract, the Government may have for its own use, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner increasing the liability of the Government or any other person or corporation or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the Chief of the Bureau (Department of the Navy) and the Chief of the Bureau (Department of the Army) and is mandatory for use by all military activities and required in military design standards where suitable.