





FORM APPROVED
OMB NO. 0704-0188

OPTIONAL PANEL CONFIGURATION

CIRCUIT
(SEE NOTE 9)

DASH NO.	TYPE	PRESSURE GAGE SPECIFICATION	PANEL LETTERING	PANEL FINISH
-8	CRU-96/A	MIL-G-25507	SEE NOTE 7	SEE NOTE 8
-9	CRU-97/A	MIL-G-25520	SEE NOTE 7	SEE NOTE 8

(E) DENOTES CHANGE

PREPARING ACTIVITY: NAVY — AS

CUSTODIANS: ARMY — AV

NAVY —

AIR FORCE —

DLA —

REVIEW: ARMY-AV, NAVY-AS

USER:

PROJECT NUMBER: 1660-0613

DISTRIBUTION STATEMENT

MILITARY SPECIFICATION SHEET

TITLE

REGULATOR, OXYGEN, DILUTER DEMAND,
AUTOMATIC, PRESSURE BREATHING

SPECIFICATION SHEET NUMBER

MS22062

1 APR 91
REV F

SUPERSEDING

MS22062E

28 SEP 73

AMSC — N/A

FSC 1660

PAGE 1 OF 2

A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

NOTES:

1. DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS $\pm .005$.
2. PANEL DIMENSIONS SHALL CONFORM TO MS25212.
3. COLOR CODING OF THE OXYGEN SUPPLY VALVE AND EMERGENCY PRESSURE CONTROL PERMITTED, SUBJECT TO PRIOR APPROVAL OF THE QUALIFYING AGENCY.
4. REGULATORS UTILIZING PRESSURE GAGE IN ACCORDANCE WITH MIL-G-25520 SHALL HAVE AN INLET PRESSURE OF 50 TO 500 PSI.
5. REGULATORS UTILIZING PRESSURE GAGE IN ACCORDANCE WITH MIL-G-25507 SHALL HAVE AN INLET PRESSURE OF 50 TO 2000 PSI.
6. PRESSURE GAGE SHALL INDICATE OXYGEN PRESSURE AT ALL TIMES REGARDLESS OF POSITION OF ON-OFF VALVE.
- (E) 7. PANEL LETTERING SHALL BE WHITE, APPROXIMATELY MATCHING COLOR NO. 37886 OF FED-STD-595.
- (E) 8. PANEL FINISH SHALL BE DURABLE DULL BLACK MATCHING COLOR NO. 37038 OF FED-STD-595.
- (E) 9. THE REGULATOR SHALL PROVIDE ELECTRICAL CONTINUITY TO FACILITATE EITHER 6 VOLT OR 28 VOLT CIRCUITRY.
- (E) 10. THE LAMP WILL NOT BE INSTALLED BY THE MANUFACTURER AS PART OF THE REGULATOR.
- (E) 11. NON-EXPOSED SURFACES OF REGULATOR WHEN INSTALLED, SHALL BE FINISHED IN ACCORDANCE WITH MIL-A-8625 OR MIL-C-5541.
- (E) 12. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
- (E) 13. REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DoDISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.

PREPARING ACTIVITY: NAVY — AS

CUSTODIANS: ARMY — AV NAVY —
AIR FORCE — DLA —

REVIEW: ARMY-AV, NAVY-AS

USER:

PROJECT NUMBER: 1660-0613

MILITARY SPECIFICATION SHEET

TITLE

REGULATOR, OXYGEN, DILUTER DEMAND,
AUTOMATIC, PRESSURE BREATHING

SPECIFICATION SHEET NUMBER

MS220621 APR 91
REV FSUPERSEDING
MS22062E

28 SEP 73

AMSC — N/A

FSC 1660

DISTRIBUTION STATEMENT

A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

PAGE 2 OF 2