

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION MIL-F-5373

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE

Form approved  
OMB No 0704-0188

**CLIP**  
Screw (a) MS35214-38C (OPTIONAL CADMIUM PLATING-  
OO-P-416, TYPE II, CLASS 2)  
(b) AN508-8-4  
Washer MS35338-99 (TIN PLATE OPTIONAL)  
EACH REQUIRED, 2 PLACES

**CLIP**  
Screw (a) MS35214-38C (OPTIONAL CADMIUM PLATING-  
OO-P-416, TYPE II, CLASS 2)  
(b) AN508-8-4  
Washer MS35338-99 (TIN PLATE OPTIONAL)  
EACH REQUIRED, 4 PLACES

**CLIP**  
Screw (a) MS35214-38C (OPTIONAL CADMIUM PLATING-  
OO-P-416, TYPE II, CLASS 2)  
(b) AN508-8-4  
Washer MS35338-99 (TIN PLATE OPTIONAL)  
EACH REQUIRED, 6 PLACES

2901022  
INCLUDES INSULATING  
PLATE, IF USED

375 MAX WITH .062  
BLADE INSERTED IN  
CLIP

CHAMFER .062 ± 45°  
OR R .062

INSIDE SURFACE OF CLIP  
IN THIS AREA MUST FIT  
FLAT WITH .062 FUSE  
BLADE INSERTED

THESE BARRIERS SHALL EXTEND ABOVE THE  
TOP OF CLIPS AND PAST THE OUTSIDE EDGE  
OF CLIPS

THESE BARRIERS SHALL EXTEND ABOVE THE  
HEADS OF SCREWS

BASE

938 MAXIMUM OVERALL DIMENSION INCLUDES INSULATING  
PLATE IF USED, INSULATING PLATE THICKNESS SHALL NOT  
EXCEED .050

MS PART NO.	TYPE	MAX WEIGHT LBS
MS24000-1	1 POLE	.056
MS24000-2	2 POLE	.112
MS24000-3	3 POLE	.169

DIMENSIONS FOR MS24000-2 AND MS24000-3 SAME AS FOR MS24000-1 EXCEPT AS SPECIFIED

BASE MATERIAL MOLDED PLASTIC IN ACCORDANCE WITH MIL-M-14, TYPE NME OR MS1-30

DIMENSIONS ARE IN INCHES TOLERANCE ± .016 UNLESS OTHERWISE SPECIFIED

FOR DESIGN FEATURE PURPOSES, THIS SPECIFICATION SHEET TAKES PRECEDENCE OVER ACQUISITION DOCUMENTS REFERENCED HEREIN  
REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID

PREPARING ACTIVITY NAVY-AS  
CUSTODIANS ARMY- NAVY-  
AIR FORCE- 85 DLA  
REVIEW  
USER  
PROJECT NUMBER 5920.0486

MILITARY SPECIFICATION SHEET

TITLE FUSE HOLDER, BLOCK-TYPE,  
1-, 2-, AND 3- POLE,  
1-TO 30-AMPERE, AIRCRAFT

SPECIFICATION SHEET NUMBER  
**MS24000** 22 APR 92  
REV F

SUPERSEDING  
MS24000 E 7 MAY 65

AMSC- N/A FSC 5920

DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited

Page 1 of 1