

Form Approved  
OMB No. 0764-0186

EXPOSED END OF STRAP  
TO BE DIPPED IN MELTED  
PARAFFIN TO PREVENT  
FRAYING TYP

STRAP - 6 WIDE WEAVING  
SPEC MIL-W-5665, TYPE 1,  
COLOR TO MATCH CLOTH TYP  
2 STRAPS REQ'D /1 EACH SIDE

BUTTON - MS27980-14  
SOCKET - MS27980-6B  
4 EA REQ'D TYP

STUD - MS27980-7E  
EYELET - MS27980-8E  
6 EA REQ'D TYP

STITCHES INDICATED  
BY DOTTED LINES

STENCIL LETTERS AS  
SHOWN - COLOR NR 13539  
FED-STD-595  
(YELLOW)

STRAP LENGTH -  
508

# MILITARY SPECIFICATION SHEET

HOLDER MAINTENANCE RECORDS  
ASSEMBLY C

SPECIFICATION SHEET NUMBER  
MS24744T ORN

SUPPLEMENTARY NUMBER  
MS24744T

AM. 1 A F.C. B C

FILE 1 OF 1

15 APR 93

(D)

7 JUN 76

(C)

13 JAN 70

(B)

6 JUL 66

(A)

REVISD

22 SEP 55

APPROVED

This document is approved for use by the  
Department of the Air Force and is available for use by all  
other units of the Department of Defense

Preparing Activity Air Force 69


UNCLASSIFIED

Revised by 69

Useful in

1. This document is approved for public release; distribution is unlimited.

1. This document is approved for public release; distribution is unlimited.



- 1 ALL DIMENSIONS IN MILLIMETERS, CONVERSIONS FOR METRIC TO ENGLISH  
IAW ASTM E380
- 2 ENVELOPE TO BE STITCHED WITH COTTON THREAD - TICKET NR 16 TYPE 1A3  
SPEC A-A-52094 COLOR TO CONFORM TO COLOR OF FABRIC
- 3 ALL MATERIAL WITH THE EXCEPTION OF THREAD AND THE STRAP SHALL BE AS FOLLOWS  
MATERIAL - CLOTH WATERPROOF FIRE-RESISTANT AND MILDEW RESISTANT  
(REF MIL-C-10799) COLOR - OLIVE DRAB CONFORMING TO 34087 FED-STD-595
- 4 TURN BACK ALL RAW EDGES
- 5 REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON THE DATE OF  
INVITATION FOR BIDS
- 6 FOR DESIGN FEATURE PURPOSES THIS SPECIFICATION TAKES PRECEDENCE OVER  
PROCUREMENT DOCUMENTS REFERENCED HEREIN
- 7 STITCHING TO BE NOT LESS THAN 6 NOR MORE THAN 8 STITCHES PER 25 mm,  
FED-STD-751, TYPE 301
- 8 THE FLAP AND STRAPS ARE ATTACHED AS SHOWN IN DETAIL 'A' MAY BE UP TO  
25 mm SMALLER THAN THE HOLDER TO FACILITATE ATTACHMENT  
THE FLAP SHALL BE ATTACHED CENTERED ON THE HOLDER

3

PA 9 20

1997

RECEIVED (A) 6 JUL 66 (B) 13 JUL 70 (C) 7 JUN 76 (D) 15 APR 73

## STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

## INSTRUCTIONS

- 1 The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
- 2 The submitter of this form must complete blocks 4, 5, 6, and 7.
- 3 The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

## I RECOMMEND A CHANGE:

1 DOCUMENT NUMBER

MS24344D(USAF)

2 DOCUMENT DATE (YYMMDD)

930415

## 3 DOCUMENT TITLE

HOLDER, MAINTENANCE RECORDS ASSEMBLY OF

## 4 NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

## 5 REASON FOR RECOMMENDATION

## SUBMITTER

a NAME (Last, First, Middle Initial)

b ORGANIZATION

c ADDRESS (Include Zip Code)

d TELEPHONE (Include Area Code)

7. DATE SUBMITTED (YYMMDD)

(1) Commercial

(2) AUTOVON (If applicable)

## 8 PREPARING ACTIVITY

a NAME

RONALD DeLUCA  
MECHANICAL ENGINEER

b TELEPHONE (Include Area Code)

(1) Commercial

513-257-5362

(2) AUTOVON

787-3362

c ADDRESS (Include Zip Code)

HQ AFMC/DCFP  
5215 THURLOW SIFFET BLDG 70  
WRIGHT PATTERSON AFB OH 45433-5400

IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT

Defense Quality and Standardization Office  
5203 Leesburg Pike, Suite 1403 Falls Church, VA 22041-3466  
Telephone (703) 562-2340 AUTOVON 289-2340