

NOTICE OF CANCELLATION

INCH-POUND

MS24390F
 NOTICE 1
 22 April 1999

MILITARY SPECIFICATION SHEET

TEE, FLARED TUBE WITH BULKHEAD ON RUN - PRECISION TYPE

MS24390F, dated 19 July 1984, is hereby cancelled. Future acquisitions for this item should refer to Society of Automotive Engineers (SAE) Aerospace Standard (AS) AS1033, "Tee, Standard and Reducer, Bulkhead on Run, Flared Tube."

Table 1 provides a detailed cross-reference of cancelled MS24390 Part or Identifying Numbers (PINs) and replacement AS1033 PINs. The use of "AS" parts is preferable, but "MS" parts may be used for a period of three years from the date of this notice to deplete existing stock. Users are cautioned to evaluate replacements for their particular application.

(DoD activities may obtain copies of SAE AS1033 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the Society of Automotive Engineers International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

Custodians:

Army - AV
 Navy - AS
 Air Force - 99
 DLA - CC

Preparing activity:

DLA - CC

(Project 4730-0423)

Review activities:

Army - AT
 Air Force - 82

MS24390F
NOTICE 1

TABLE 1 - Cross-Reference Data

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
MS24390-2	.125	AS1033-020202	MS24390-8	.500	AS1033-080808
MS24390D2	.125	AS1033D020202	MS24390D8	.500	AS1033D080808
MS24390J2	.125	AS1033J020202	MS24390J8	.500	AS1033J080808
MS24390K2	.125	AS1033K020202	MS24390K8	.500	AS1033K080808
MS24390S2	.125	AS1033S020202	MS24390S8	.500	AS1033S080808
MS24390T2	.125	AS1033T020202	MS24390T8	.500	AS1033T080808
MS24390W2	.125	AS1033W020202	MS24390W8	.500	AS1033W080808
MS24390-3	.188	AS1033-030303	MS24390-10	.625	AS1033-101010
MS24390D3	.188	AS1033D030303	MS24390D10	.625	AS1033D101010
MS24390J3	.188	AS1033J030303	MS24390J10	.625	AS1033J101010
MS24390K3	.188	AS1033K030303	MS24390K10	.625	AS1033K101010
MS24390S3	.188	AS1033S030303	MS24390S10	.625	AS1033S101010
MS24390T3	.188	AS1033T030303	MS24390T10	.625	AS1033T101010
MS24390W3	.188	AS1033W030303	MS24390W10	.625	AS1033W101010
MS24390-4	.250	AS1033-040404	MS24390-12	.750	AS1033-121212
MS24390D4	.250	AS1033D040404	MS24390D12	.750	AS1033D121212
MS24390J4	.250	AS1033J040404	MS24390J12	.750	AS1033J121212
MS24390K4	.250	AS1033K040404	MS24390K12	.750	AS1033K121212
MS24390S4	.250	AS1033S040404	MS24390S12	.750	AS1033S121212
MS24390T4	.250	AS1033T040404	MS24390T12	.750	AS1033T121212
MS24390W4	.250	AS1033W040404	MS24390W12	.750	AS1033W121212
MS24390-5	.312	AS1033-050505	MS24390-16	1.000	AS1033-161616
MS24390D5	.312	AS1033D050505	MS24390D16	1.000	AS1033D161616
MS24390J5	.312	AS1033J050505	MS24390J16	1.000	AS1033J161616
MS24390K5	.312	AS1033K050505	MS24390K16	1.000	AS1033K161616
MS24390S5	.312	AS1033S050505	MS24390S16	1.000	AS1033S161616
MS24390T5	.312	AS1033T050505	MS24390T16	1.000	AS1033T161616
MS24390W5	.312	AS1033W050505	MS24390W16	1.000	AS1033W161616
MS24390-6	.375	AS1033-060606	MS24390-20	1.250	AS1033-202020
MS24390D6	.375	AS1033D060606	MS24390D20	1.250	AS1033D202020
MS24390J6	.375	AS1033J060606	MS24390J20	1.250	AS1033J202020
MS24390K6	.375	AS1033K060606	MS24390K20	1.250	AS1033K202020
MS24390S6	.375	AS1033S060606	MS24390S20	1.250	AS1033S202020
MS24390T6	.375	AS1033T060606	MS24390T20	1.250	AS1033T202020
MS24390W6	.375	AS1033W060606	MS24390W20	1.250	AS1033W202020

MS24390F
NOTICE 1

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
MS24390-24	1.500	AS1033-242424	MS24390-32	2.000	AS1033-323232
MS24390D24	1.500	AS1033D242424	MS24390D32	2.000	AS1033D323232
MS24390J24	1.500	AS1033J242424	MS24390J32	2.000	AS1033J323232
MS24390K24	1.500	AS1033K242424	MS24390K32	2.000	AS1033K323232
MS24390S24	1.500	AS1033S242424	MS24390S32	2.000	AS1033S323232
MS24390T24	1.500	AS1033T242424	MS24390T32	2.000	AS1033T323232
MS24390W24	1.500	AS1033W242424	MS24390W32	2.000	AS1033W323232
MS24390-28	1.750	Not available			
MS24390D28	1.750	Not available			
MS24390J28	1.750	Not available			
MS24390K28	1.750	Not available			
MS24390S28	1.750	Not available			
MS24390T28	1.750	Not available			
MS24390W28	1.750	Not available			