

NOTICE OF CANCELLATION

INCH-POUND

MS24393F
NOTICE 1
1 February 2000

MILITARY STANDARD

NIPPLE, TUBE, 3/8 BULKHEAD, PRECISION TYPE

MS24393F, dated 16 April 1982, is hereby cancelled. Future acquisitions for this item should refer to Society of Automotive Engineers (SAE) Aerospace Standard (AS) AS5406, "Fitting, Union, Tube, .375 Bulkhead."

Table 1 provides a detailed cross-reference of cancelled MS24393 Part or Identifying Numbers (PINs) and replacement AS5406 PINs. The use of "AS" parts is preferable, but "MS" parts may be used for a period of three years from the date of this notice to deplete existing stock. Users are cautioned to evaluate replacements for their particular application.

(DoD activities may obtain copies of SAE AS5406 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the Society of Automotive Engineers International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

Custodians:
Air Force - 99
Army - AV
Navy - AS

Preparing activity:
DLA - CC

(Project 4730-0424)

Review activities:
Air Force - 82
Army - AT

MS24393F
NOTICE 1

TABLE 1 - Cross-Reference Data

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
MS24393-2	.125	AS5406-02	MS24393-8	.500	AS5406-08
MS24393D2	.125	AS5406D02	MS24393D8	.500	AS5406D08
MS24393J2	.125	AS5406J02	MS24393J8	.500	AS5406J08
MS24393K2	.125	AS5406K02	MS24393K8	.500	AS5406K08
MS24393S2	.125	AS5406R02	MS24393S8	.500	AS5406R08
MS24393T2	.125	AS5406T02	MS24393T8	.500	AS5406T08
MS24393W2	.125	AS5406W02	MS24393W8	.500	AS5406W08
MS24393-3	.188	AS5406-03	MS24393-10	.625	AS5406-10
MS24393D3	.188	AS5406D03	MS24393D10	.625	AS5406D10
MS24393J3	.188	AS5406J03	MS24393J10	.625	AS5406J10
MS24393K3	.188	AS5406K03	MS24393K10	.625	AS5406K10
MS24393S3	.188	AS5406R03	MS24393S10	.625	AS5406R10
MS24393T3	.188	AS5406T03	MS24393T10	.625	AS5406T10
MS24393W3	.188	AS5406W03	MS24393W10	.625	AS5406W10
MS24393-4	.250	AS5406-04	MS24393-12	.750	AS5406-12
MS24393D4	.250	AS5406D04	MS24393D12	.750	AS5406D12
MS24393J4	.250	AS5406J04	MS24393J12	.750	AS5406J12
MS24393K4	.250	AS5406K04	MS24393K12	.750	AS5406K12
MS24393S4	.250	AS5406R04	MS24393S12	.750	AS5406R12
MS24393T4	.250	AS5406T04	MS24393T12	.750	AS5406T12
MS24393W4	.250	AS5406W04	MS24393W12	.750	AS5406W12
MS24393-5	.312	AS5406-05	MS24393-16	1.000	AS5406-16
MS24393D5	.312	AS5406D05	MS24393D16	1.000	AS5406D16
MS24393J5	.312	AS5406J05	MS24393J16	1.000	AS5406J16
MS24393K5	.312	AS5406K05	MS24393K16	1.000	AS5406K16
MS24393S5	.312	AS5406R05	MS24393S16	1.000	AS5406R16
MS24393T5	.312	AS5406T05	MS24393T16	1.000	AS5406T16
MS24393W5	.312	AS5406W05	MS24393W16	1.000	AS5406W16
MS24393-6	.375	AS5406-06	MS24393-20	1.250	AS5406-20
MS24393D6	.375	AS5406D06	MS24393D20	1.250	AS5406D20
MS24393J6	.375	AS5406J06	MS24393J20	1.250	AS5406J20
MS24393K6	.375	AS5406K06	MS24393K20	1.250	AS5406K20
MS24393S6	.375	AS5406R06	MS24393S20	1.250	AS5406R20
MS24393T6	.375	AS5406T06	MS24393T20	1.250	AS5406T20
MS24393W6	.375	AS5406W06	MS24393W20	1.250	AS5406W20

MS24393F
NOTICE 1

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
MS24393-24	1.500	AS5406-24	MS24393-32	2.000	AS5406-32
MS24393D24	1.500	AS5406D24	MS24393D32	2.000	AS5406D32
MS24393J24	1.500	AS5406J24	MS24393J32	2.000	AS5406J32
MS24393K24	1.500	AS5406K24	MS24393K32	2.000	AS5406K32
MS24393S24	1.500	AS5406R24	MS24393S32	2.000	AS5406R32
MS24393T24	1.500	AS5406T24	MS24393T32	2.000	AS5406T32
MS24393W24	1.500	AS5406W24	MS24393W32	2.000	AS5406W32
MS24393-28	1.750	AS5406-28			
MS24393D28	1.750	AS5406D28			
MS24393J28	1.750	AS5406J28			
MS24393K28	1.750	AS5406K28			
MS24393S28	1.750	AS5406R28			
MS24393T28	1.750	AS5406T28			
MS24393W28	1.750	AS5406W28			