

NOTICE OF CANCELLATION
---------------------------

INCH-POUND
------------

MS24395G  
 NOTICE 1  
 22 April 1999

# MILITARY STANDARD

## TEE, TUBE, BULKHEAD, PRECISION TYPE

MS24395G, dated 16 April 1982, is hereby cancelled. Future acquisitions for this item should refer to Society of Automotive Engineers (SAE) Aerospace Standard (AS) AS1039, "Tee, Standard and Reducer, Bulkhead on Side, Flared Tube."

Table 1 provides a detailed cross-reference of cancelled MS24395 Part or Identifying Numbers (PINs) and replacement AS1039 PINs. The use of "AS" parts is preferable, but "MS" parts may be used for a period of three years from the date of this notice to deplete existing stock. Users are cautioned to evaluate replacements for their particular application.

(DoD activities may obtain copies of SAE AS1039 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the Society of Automotive Engineers International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

### Custodians:

Army - AV  
 Navy - AS  
 Air Force - 99  
 DLA - CC

### Preparing activity:

DLA - CC

(Project 4730-0426)

### Review activities:

Army - AT  
 Air Force - 82

MS24395G  
NOTICE 1

TABLE 1 - Cross-Reference Data

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
MS24395-2	.125	AS1039-020202	MS24395-8	.500	AS1039-080808
MS24395D2	.125	AS1039D020202	MS24395D8	.500	AS1039D080808
MS24395J2	.125	AS1039J020202	MS24395J8	.500	AS1039J080808
MS24395K2	.125	AS1039K020202	MS24395K8	.500	AS1039K080808
MS24395S2	.125	AS1039S020202	MS24395S8	.500	AS1039S080808
MS24395T2	.125	AS1039T020202	MS24395T8	.500	AS1039T080808
MS24395W2	.125	AS1039W020202	MS24395W8	.500	AS1039W080808
MS24395-3	.188	AS1039-030303	MS24395-10	.625	AS1039-101010
MS24395D3	.188	AS1039D030303	MS24395D10	.625	AS1039D101010
MS24395J3	.188	AS1039J030303	MS24395J10	.625	AS1039J101010
MS24395K3	.188	AS1039K030303	MS24395K10	.625	AS1039K101010
MS24395S3	.188	AS1039S030303	MS24395S10	.625	AS1039S101010
MS24395T3	.188	AS1039T030303	MS24395T10	.625	AS1039T101010
MS24395W3	.188	AS1039W030303	MS24395W10	.625	AS1039W101010
MS24395-4	.250	AS1039-040404	MS24395-12	.750	AS1039-121212
MS24395D4	.250	AS1039D040404	MS24395D12	.750	AS1039D121212
MS24395J4	.250	AS1039J040404	MS24395J12	.750	AS1039J121212
MS24395K4	.250	AS1039K040404	MS24395K12	.750	AS1039K121212
MS24395S4	.250	AS1039S040404	MS24395S12	.750	AS1039S121212
MS24395T4	.250	AS1039T040404	MS24395T12	.750	AS1039T121212
MS24395W4	.250	AS1039W040404	MS24395W12	.750	AS1039W121212
MS24395-5	.312	AS1039-050505	MS24395-16	1.000	AS1039-161616
MS24395D5	.312	AS1039D050505	MS24395D16	1.000	AS1039D161616
MS24395J5	.312	AS1039J050505	MS24395J16	1.000	AS1039J161616
MS24395K5	.312	AS1039K050505	MS24395K16	1.000	AS1039K161616
MS24395S5	.312	AS1039S050505	MS24395S16	1.000	AS1039S161616
MS24395T5	.312	AS1039T050505	MS24395T16	1.000	AS1039T161616
MS24395W5	.312	AS1039W050505	MS24395W16	1.000	AS1039W161616
MS24395-6	.375	AS1039-060606	MS24395-20	1.250	AS1039-202020
MS24395D6	.375	AS1039D060606	MS24395D20	1.250	AS1039D202020
MS24395J6	.375	AS1039J060606	MS24395J20	1.250	AS1039J202020
MS24395K6	.375	AS1039K060606	MS24395K20	1.250	AS1039K202020
MS24395S6	.375	AS1039S060606	MS24395S20	1.250	AS1039S202020
MS24395T6	.375	AS1039T060606	MS24395T20	1.250	AS1039T202020
MS24395W6	.375	AS1039W060606	MS24395W20	1.250	AS1039W202020

MS24395G  
NOTICE 1

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
MS24395-24	1.500	AS1039-242424	MS24395-32	2.000	AS1039-323232
MS24395D24	1.500	AS1039D242424	MS24395D32	2.000	AS1039D323232
MS24395J24	1.500	AS1039J242424	MS24395J32	2.000	AS1039J323232
MS24395K24	1.500	AS1039K242424	MS24395K32	2.000	AS1039K323232
MS24395S24	1.500	AS1039S242424	MS24395S32	2.000	AS1039S323232
MS24395T24	1.500	AS1039T242424	MS24395T32	2.000	AS1039T323232
MS24395W24	1.500	AS1039W242424	MS24395W32	2.000	AS1039W323232
MS24395-28	1.750	Not available			
MS24395D28	1.750	Not available			
MS24395J28	1.750	Not available			
MS24395K28	1.750	Not available			
MS24395S28	1.750	Not available			
MS24395T28	1.750	Not available			
MS24395W28	1.750	Not available			