

NOTICE OF CANCELLATION

INCH-POUND

MS24396E
NOTICE 1
22 April 1999

MILITARY STANDARD

ELBOW, TUBE, BULKHEAD, 45°, PRECISION TYPE

MS24396E, dated 16 April 1982, is hereby cancelled. Future acquisitions for this item should refer to Society of Automotive Engineers (SAE) Aerospace Standard (AS) AS1040, "Elbow, 45°, Standard and Reducer, Bulkhead, Flared Tube."

Table 1 provides a detailed cross-reference of cancelled MS24396 Part or Identifying Numbers (PINs) and replacement AS1040 PINs. The use of "AS" parts is preferable, but "MS" parts may be used for a period of three years from the date of this notice to deplete existing stock. Users are cautioned to evaluate replacements for their particular application.

(DoD activities may obtain copies of SAE AS1040 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the Society of Automotive Engineers International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

Custodians:

Army - AV
Navy - AS
Air Force – 99
DLA – CC

Preparing activity:

DLA - CC

(Project 4730-0427)

Review activities:

Army - AT
Air Force - 82

MS24396E
NOTICE 1

TABLE 1 - Cross-Reference Data

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
MS24396-2	.125	AS1040-0202	MS24396-8	.500	AS1040-0808
MS24396D2	.125	AS1040D0202	MS24396D8	.500	AS1040D0808
MS24396J2	.125	AS1040J0202	MS24396J8	.500	AS1040J0808
MS24396K2	.125	AS1040K0202	MS24396K8	.500	AS1040K0808
MS24396S2	.125	AS1040S0202	MS24396S8	.500	AS1040S0808
MS24396T2	.125	AS1040T0202	MS24396T8	.500	AS1040T0808
MS24396W2	.125	AS1040W0202	MS24396W8	.500	AS1040W0808
MS24396-3	.188	AS1040-0303	MS24396-10	.625	AS1040-1010
MS24396D3	.188	AS1040D0303	MS24396D10	.625	AS1040D1010
MS24396J3	.188	AS1040J0303	MS24396J10	.625	AS1040J1010
MS24396K3	.188	AS1040K0303	MS24396K10	.625	AS1040K1010
MS24396S3	.188	AS1040S0303	MS24396S10	.625	AS1040S1010
MS24396T3	.188	AS1040T0303	MS24396T10	.625	AS1040T1010
MS24396W3	.188	AS1040W0303	MS24396W10	.625	AS1040W1010
MS24396-4	.250	AS1040-0404	MS24396-12	.750	AS1040-1212
MS24396D4	.250	AS1040D0404	MS24396D12	.750	AS1040D1212
MS24396J4	.250	AS1040J0404	MS24396J12	.750	AS1040J1212
MS24396K4	.250	AS1040K0404	MS24396K12	.750	AS1040K1212
MS24396S4	.250	AS1040S0404	MS24396S12	.750	AS1040S1212
MS24396T4	.250	AS1040T0404	MS24396T12	.750	AS1040T1212
MS24396W4	.250	AS1040W0404	MS24396W12	.750	AS1040W1212
MS24396-5	.312	AS1040-0505	MS24396-16	1.000	AS1040-1616
MS24396D5	.312	AS1040D0505	MS24396D16	1.000	AS1040D1616
MS24396J5	.312	AS1040J0505	MS24396J16	1.000	AS1040J1616
MS24396K5	.312	AS1040K0505	MS24396K16	1.000	AS1040K1616
MS24396S5	.312	AS1040S0505	MS24396S16	1.000	AS1040S1616
MS24396T5	.312	AS1040T0505	MS24396T16	1.000	AS1040T1616
MS24396W5	.312	AS1040W0505	MS24396W16	1.000	AS1040W1616
MS24396-6	.375	AS1040-0606	MS24396-20	1.250	AS1040-2020
MS24396D6	.375	AS1040D0606	MS24396D20	1.250	AS1040D2020
MS24396J6	.375	AS1040J0606	MS24396J20	1.250	AS1040J2020
MS24396K6	.375	AS1040K0606	MS24396K20	1.250	AS1040K2020
MS24396S6	.375	AS1040S0606	MS24396S20	1.250	AS1040S2020
MS24396T6	.375	AS1040T0606	MS24396T20	1.250	AS1040T2020
MS24396W6	.375	AS1040W0606	MS24396W20	1.250	AS1040W2020

MS24396E
NOTICE 1

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
MS24396-24	1.500	AS1040-2424	MS24396-32	2.000	AS1040-3232
MS24396D24	1.500	AS1040D2424	MS24396D32	2.000	AS1040D3232
MS24396J24	1.500	AS1040J2424	MS24396J32	2.000	AS1040J3232
MS24396K24	1.500	AS1040K2424	MS24396K32	2.000	AS1040K3232
MS24396S24	1.500	AS1040S2424	MS24396S32	2.000	AS1040S3232
MS24396T24	1.500	AS1040T2424	MS24396T32	2.000	AS1040T3232
MS24396W24	1.500	AS1040W2424	MS24396W32	2.000	AS1040W3232
MS24396-28	1.750	Not available			
MS24396D28	1.750	Not available			
MS24396J28	1.750	Not available			
MS24396K28	1.750	Not available			
MS24396S28	1.750	Not available			
MS24396T28	1.750	Not available			
MS24396W28	1.750	Not available			