

NOTICE OF CANCELLATION
---------------------------

INCH-POUND
------------

MS24403E  
NOTICE 1  
22 April 1999

MILITARY STANDARD  
CROSS, TUBE, PRECISION TYPE

MS24403E, dated 4 April 1985, is hereby cancelled. Future acquisitions for this item should refer to Society of Automotive Engineers (SAE) Aerospace Standard (AS) AS1036, "Cross, Standard and Reducer, Flared Tube."

Table 1 provides a detailed cross-reference of cancelled MS24403 Part or Identifying Numbers (PINs) and replacement AS1036 PINs. The use of "AS" parts is preferable, but "MS" parts may be used for a period of three years from the date of this notice to deplete existing stock. Users are cautioned to evaluate replacements for their particular application.

(DoD activities may obtain copies of SAE AS1036 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the Society of Automotive Engineers International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

Custodians:  
Army - AV  
Air Force - 99  
DLA - CC

Preparing activity:  
DLA - CC  
  
(Project 4730-0430)

Review activities:  
Army - AT  
Air Force - 82

MS24403E  
NOTICE 1

TABLE 1 - Cross-Reference Data

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
MS24403-2	.125	AS1036-02020202	MS24403-8	.500	AS1036-08080808
MS24403D2	.125	AS1036D02020202	MS24403D8	.500	AS1036D08080808
MS24403J2	.125	AS1036J02020202	MS24403J8	.500	AS1036J08080808
MS24403K2	.125	AS1036K02020202	MS24403K8	.500	AS1036K08080808
MS24403S2	.125	AS1036S02020202	MS24403S8	.500	AS1036S08080808
MS24403T2	.125	AS1036T02020202	MS24403T8	.500	AS1036T08080808
MS24403W2	.125	AS1036W02020202	MS24403W8	.500	AS1036W08080808
MS24403-3	.188	AS1036-03030303	MS24403-10	.625	AS1036-10101010
MS24403D3	.188	AS1036D03030303	MS24403D10	.625	AS1036D10101010
MS24403J3	.188	AS1036J03030303	MS24403J10	.625	AS1036J10101010
MS24403K3	.188	AS1036K03030303	MS24403K10	.625	AS1036K10101010
MS24403S3	.188	AS1036S03030303	MS24403S10	.625	AS1036S10101010
MS24403T3	.188	AS1036T03030303	MS24403T10	.625	AS1036T10101010
MS24403W3	.188	AS1036W03030303	MS24403W10	.625	AS1036W10101010
MS24403-4	.250	AS1036-04040404	MS24403-12	.750	AS1036-12121212
MS24403D4	.250	AS1036D04040404	MS24403D12	.750	AS1036D12121212
MS24403J4	.250	AS1036J04040404	MS24403J12	.750	AS1036J12121212
MS24403K4	.250	AS1036K04040404	MS24403K12	.750	AS1036K12121212
MS24403S4	.250	AS1036S04040404	MS24403S12	.750	AS1036S12121212
MS24403T4	.250	AS1036T04040404	MS24403T12	.750	AS1036T12121212
MS24403W4	.250	AS1036W04040404	MS24403W12	.750	AS1036W12121212
MS24403-5	.312	AS1036-05050505	MS24403-16	1.000	AS1036-16161616
MS24403D5	.312	AS1036D05050505	MS24403D16	1.000	AS1036D16161616
MS24403J5	.312	AS1036J05050505	MS24403J16	1.000	AS1036J16161616
MS24403K5	.312	AS1036K05050505	MS24403K16	1.000	AS1036K16161616
MS24403S5	.312	AS1036S05050505	MS24403S16	1.000	AS1036S16161616
MS24403T5	.312	AS1036T05050505	MS24403T16	1.000	AS1036T16161616
MS24403W5	.312	AS1036W05050505	MS24403W16	1.000	AS1036W16161616
MS24403-6	.375	AS1036-06060606	MS24403-20	1.250	AS1036-20202020
MS24403D6	.375	AS1036D06060606	MS24403D20	1.250	AS1036D20202020
MS24403J6	.375	AS1036J06060606	MS24403J20	1.250	AS1036J20202020
MS24403K6	.375	AS1036K06060606	MS24403K20	1.250	AS1036K20202020
MS24403S6	.375	AS1036S06060606	MS24403S20	1.250	AS1036S20202020
MS24403T6	.375	AS1036T06060606	MS24403T20	1.250	AS1036T20202020
MS24403W6	.375	AS1036W06060606	MS24403W20	1.250	AS1036W20202020

MS24403E  
NOTICE 1

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
MS24403-24	1.500	AS1036-24242424	MS24403-32	2.000	AS1036-32323232
MS24403D24	1.500	AS1036D24242424	MS24403D32	2.000	AS1036D32323232
MS24403J24	1.500	AS1036J24242424	MS24403J32	2.000	AS1036J32323232
MS24403K24	1.500	AS1036K24242424	MS24403K32	2.000	AS1036K32323232
MS24403S24	1.500	AS1036S24242424	MS24403S32	2.000	AS1036S32323232
MS24403T24	1.500	AS1036T24242424	MS24403T32	2.000	AS1036T32323232
MS24403W24	1.500	AS1036W24242424	MS24403W32	2.000	AS1036W32323232
MS24403-28	1.750	Not available			
MS24403D28	1.750	Not available			
MS24403J28	1.750	Not available			
MS24403K28	1.750	Not available			
MS24403S28	1.750	Not available			
MS24403T28	1.750	Not available			
MS24403W28	1.750	Not available			