

NOTICE OF CANCELLATION

INCH-POUND

MS24404E
NOTICE 1
28 September 1999

MILITARY STANDARD

PLUG, TUBE, PRECISION TYPE

MS24404E, dated 22 June 1983, is hereby cancelled. Future acquisitions for this item should refer to Society of Automotive Engineers (SAE) Aerospace Standard (AS) AS5168, "Fitting, Plug, Tube End, Flared."

Table 1 provides a detailed cross-reference of cancelled MS24404 Part or Identifying Numbers (PINs) and replacement AS5168 PINs. The use of "AS" parts is preferable, but "MS" parts may be used for a period of three years from the date of this notice to deplete existing stock. Users are cautioned to evaluate replacements for their particular application.

(DoD activities may obtain copies of SAE AS5168 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the Society of Automotive Engineers International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

Custodians:

Army - AV
Navy - AS
Air Force - 99
DLA - CC

Preparing activity:

DLA - CC

(Project 4730-0829-001)

Review activity:

Air Force - 82

MS24404E
NOTICE 1

TABLE 1 - Cross-Reference Data

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
MS24404-2	.125	AS5168-02	MS24404-8	.500	AS5168-08
MS24404D2	.125	AS5168D02	MS24404D8	.500	AS5168D08
MS24404J2	.125	AS5168J02	MS24404J8	.500	AS5168J08
MS24404K2	.125	AS5168K02	MS24404K8	.500	AS5168K08
MS24404S2	.125	AS5168R02	MS24404S8	.500	AS5168R08
MS24404T2	.125	AS5168T02	MS24404T8	.500	AS5168T08
MS24404W2	.125	AS5168W02	MS24404W8	.500	AS5168W08
MS24404-3	.188	AS5168-03	MS24404-10	.625	AS5168-10
MS24404D3	.188	AS5168D03	MS24404D10	.625	AS5168D10
MS24404J3	.188	AS5168J03	MS24404J10	.625	AS5168J10
MS24404K3	.188	AS5168K03	MS24404K10	.625	AS5168K10
MS24404S3	.188	AS5168R03	MS24404S10	.625	AS5168R10
MS24404T3	.188	AS5168T03	MS24404T10	.625	AS5168T10
MS24404W3	.188	AS5168W03	MS24404W10	.625	AS5168W10
MS24404-4	.250	AS5168-04	MS24404-12	.750	AS5168-12
MS24404D4	.250	AS5168D04	MS24404D12	.750	AS5168D12
MS24404J4	.250	AS5168J04	MS24404J12	.750	AS5168J12
MS24404K4	.250	AS5168K04	MS24404K12	.750	AS5168K12
MS24404S4	.250	AS5168R04	MS24404S12	.750	AS5168R12
MS24404T4	.250	AS5168T04	MS24404T12	.750	AS5168T12
MS24404W4	.250	AS5168W04	MS24404W12	.750	AS5168W12
MS24404-5	.312	AS5168-05	MS24404-16	1.000	AS5168-16
MS24404D5	.312	AS5168D05	MS24404D16	1.000	AS5168D16
MS24404J5	.312	AS5168J05	MS24404J16	1.000	AS5168J16
MS24404K5	.312	AS5168K05	MS24404K16	1.000	AS5168K16
MS24404S5	.312	AS5168R05	MS24404S16	1.000	AS5168R16
MS24404T5	.312	AS5168T05	MS24404T16	1.000	AS5168T16
MS24404W5	.312	AS5168W05	MS24404W16	1.000	AS5168W16
MS24404-6	.375	AS5168-06	MS24404-20	1.250	AS5168-20
MS24404D6	.375	AS5168D06	MS24404D20	1.250	AS5168D20
MS24404J6	.375	AS5168J06	MS24404J20	1.250	AS5168J20
MS24404K6	.375	AS5168K06	MS24404K20	1.250	AS5168K20
MS24404S6	.375	AS5168R06	MS24404S20	1.250	AS5168R20
MS24404T6	.375	AS5168T06	MS24404T20	1.250	AS5168T20
MS24404W6	.375	AS5168W06	MS24404W20	1.250	AS5168W20

MS24404E
NOTICE 1

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
MS24404-24	1.500	AS5168-24	MS24404-32	2.000	AS5168-32
MS24404D24	1.500	AS5168D24	MS24404D32	2.000	AS5168D32
MS24404J24	1.500	AS5168J24	MS24404J32	2.000	AS5168J32
MS24404K24	1.500	AS5168K24	MS24404K32	2.000	AS5168K32
MS24404S24	1.500	AS5168R24	MS24404S32	2.000	AS5168R32
MS24404T24	1.500	AS5168T24	MS24404T32	2.000	AS5168T32
MS24404W24	1.500	AS5168W24	MS24404W32	2.000	AS5168W32
MS24404-28	1.750	AS5168-28			
MS24404D28	1.750	AS5168D28			
MS24404J28	1.750	AS5168J28			
MS24404K28	1.750	AS5168K28			
MS24404S28	1.750	AS5168R28			
MS24404T28	1.750	AS5168T28			
MS24404W28	1.750	AS5168W28			