


NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, and the fact that the Government may have furnished, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as an endorsement, recommendation, or approval of the product, or the quality thereof, or the use thereof, or the use of any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.



MS PART NO.	FIN	INITIAL WATTS	RATED VOLTS	R RATED INITIAL LUMENS (NOMINAL)	INITIAL EFFICIENCY (LPW)	FILAMENT TYPE	RATED AVERAGE LABORATORY LIFE (HOURS)	FINISH	FILAMENT	
									(B) A HEIGHT (mm)	(B) B WIDTH OR DIA (mm)
MS25015-1		1000 ±50	115	20 500	20.5 ±2	C-13	500	CLEAR	17.6 ±1.8	17.2 ±2.2
MS25015-2		1200 ±50		27 500	23.0 ±2	CC-8	750		54.0 ±5.0	4.5 ±0.5

MINIMUM MARKING: WATTS, VOLTS, MS PART NUMBER, BASE DOWN, AND MANUFACTURER'S (NAME, ABBREVIATION, OR TRADE MARK).

(B) AXIAL ALIGNMENT TOLERANCE ±3/32.

DIMENSIONS IN INCHES, EXCEPT AS SPECIFIED. UNLESS OTHERWISE SPECIFIED, TOLERANCES: FRACTIONS ±1/64.

FED. SUP CLASS.
6240

THIS DOCUMENT HAS BEEN PROMULGATED BY THE DEPARTMENT OF DEFENSE AS THE MILITARY STANDARD TO LIMIT THE SELECTION OF THE ITEM, PRODUCT, OR DESIGN COVERED HEREIN IN ENGINEERING, DESIGN, AND PROCUREMENT. THIS STANDARD SHALL BECOME EFFECTIVE NOT LATER THAN 90 DAYS AFTER THE LATEST DATE OF APPROVAL SHOWN.

APPROVED 8 May 52 REVISED (A) 16 Nov 56 (B) 12 May 57

CUSTODIANS
Navy - BuAer
Air Force
Army - E

OTHER INT.
A - O
N - Sh
AF -

MILITARY STANDARD

LAMP, INCANDESCENT, T-20 BULB, MOGUL BIPOST BASE

MS25015

Procurement Specification
MTI-1-6363

SUPERSEDES:

SHEET 1 OF 1