

INCH-POUND


MS25057B
 18 January 2005
 SUPERSEDING
 MS25057A
 18 June 1976

DETAIL SPECIFICATION SHEET

TAKEUP, ANTENNA


This specification sheet is approved for use by all Departments and Agencies of the Department of Defense.

Inactive for new design as of 4 June 1999. No superseding specification.

FIGURE 1. Dimensions and configuration.

MS PIN
MS25057-1

MS25057B



TAKEUP SUBASSEMBLY DETAIL ENLARGED

NOTES:

1. Dimensions in inches, unless otherwise specified, tolerances: one place decimal $\pm .1$, two place decimals $\pm .02$.
2. Material: Swivel, 0.06 inch thick corrosion-resistant steel, in accordance with SAE-AMS documents 5902, 5917, 5918, and 5919. Socket and takeup body, corrosion resistant steel, in accordance with SAE-AMS documents 5902, 5917, 5918, and 5919.
3. Remove burrs and sharp edges.
4. This specification sheet takes precedence over documents referenced herein.
5. Referenced Government documents of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation form a part of this specification to the extent specified herein.
6. Threads shall conform to MIL-S-7742.
7. Maximum weight: 0.11 pound.

FIGURE 1. Dimensions and configuration - Continued.

Procurement specification: MIL-DTL-7965.

Referenced documents. In addition to MIL-DTL-7965, this document references the following:

MIL-S-7742
 MS25061
 SAE-AMS-5517
 SAE-AMS-5518
 SAE-AMS-5519
 SAE-AMS-5902

MS25057B

Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodians:

Navy - AS
Air Force - 11
DLA - CC

Preparing activity:
DLA - CC

(Project 5985-1331

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <http://assist.daps.dla.mil>.