INCH-POUND

MS25061C 10 January 2014 SUPERSEDING MS25061B 14 July 2009

## **DETAIL SPECIFICATION SHEET**

SLEEVE, SUPPORT, ANTENNA, INTERNAL THREAD

Inactive for new design after 4 June 1999

This specification is approved for use by all Departments and Agencies of the Department of Defense.


The complete requirements for acquiring the switch described herein shall consist of this specification and the latest issue of MIL-DTL-7965.

## NOTES:

- 1. Material: Dielectric, Suitable for the purpose.
- 2. Dimensions are in inches.
- 3. Unless otherwise specified, tolerances: One place decimals ± .1, two place decimals ± .02, three place decimals ± .005.
- 4. Threads shall conform to MIL-S-7742.
- 5. Maximum weight .03 pounds.

AMSC N/A FSC 5985

## MS25061C



MS Part NO.
MS25061-1

Ltr	Dimensions	Ltr	Dimensions
Α	5.070 +.500 062	G	.25
В	2.8	Н	.4
С	1.7	I	.62
D	.43 ± .02	J	.06
E	.197	K	.04
F	.190		

FIGURE 1 Dimensions and configuration

## MS25061C

Referenced documents. In addition to MIL-DTL-7965, this document references the following: MIL-S-7742

Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodians: Navy – AS Air Force – 85 DLA – CC Preparing activity

DLA -CC

(Project 5985-2014-016)

Review activities:

Navy – MC Air Force – 99

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <a href="https://assist.dla.mil/">https://assist.dla.mil/</a>.