




ANISC N/A DISTRIBUTION STATEMENT A, Approved for public release; distribution is unlimited.
 NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.



TOGGLE POSITION	TERMINAL CONDITION			
	L-1	L-2	R-1	R-2
OFF	G	G	G	G
L	U	U	G	G
R	G	G	U	U
BOTH	U	U	U	U

G- INDICATES TERMINAL GROUNDED
U- INDICATES TERMINAL UNGROUNDED

MS PART NO.	FIIN	MAX WEIGHT LB
MS25197-1		0.6

Ⓐ CANCELED AFTER 28 FEBRUARY 1986 NO SUPERSEDING STANDARD

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ±.02, ANGLES ± 1/2°.

Ⓐ DENOTES CHANGES

THIS STANDARD TAKES PRECEDENCE OVER DOCUMENTS REFERENCED HEREIN.

REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

THIS DOCUMENT HAS BEEN PROMULGATED BY THE DEPARTMENT OF DEFENSE AS THE MILITARY STANDARD TO LIMIT THE SELECTION OF THE ITEM, PRODUCT, OR DESIGN COVERED HEREIN IN ENGINEERING, DESIGN, AND PROCUREMENT. THIS STANDARD SHALL BECOME EFFECTIVE NOT LATER THAN 90 DAYS AFTER THE LATEST DATE OF APPROVAL SHOWN.

CUSTODIANS Navy - BuAer	OTHER INT. A - N - AF -	MILITARY STANDARD	MS25197 (Aer)
		SWITCH, SINGLE ENGINE IGNITION (FOR R-3350 ENGINE)	
PROCUREMENT SPECIFICATION MIL-S-6746	SUPERSEDES: NAFAC 1329	SHEET 1 OF 1	