

USED ON	
AIRCRAFT	STATION(S)
A-6A	RADAR

**NOTES: (SHEETS 1 THRU 10)**

1. UNLESS OTHERWISE SPECIFIED, ALL CHARACTERS PER MIL-C-18012, 1/8 INCH HIGH.
2. PANEL SHALL CONFORM TO MIL-P-7788.
3. THE ABOVE MARKINGS APPLY TO ALL AIRCRAFT HAVING AFC 123 INCORPORATED.

(K) **INACTIVE FOR DESIGN AFTER 10 AUGUST 1984  
NO SUPERSEDING STANDARD.**

(K) FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS, OR REQUEST FOR PROPOSAL, EXCEPT THAT REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.

(K) **DENOTES CHANGE**

P.A. NAVY - AS Other Cust	TITLE CONTROL, INTERPHONE C-2644/AIC-14 PLASTIC LIGHTING PLATE, CONFIGURATION OF	MILITARY STANDARD <b>MS25491(AS)</b>
PROCUREMENT SPECIFICATION MIL-I-22352 (AS)	SUPERSEDES:	SHEET 1 OF 10

DD FORM 672-1 (Limited coordination)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 23071

PROJECT NO. 5831-N044

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.


APPROVED 22 JUN 1960 REVISED (J) 25 AUG 1975 (K) 10 AUG 84



USED ON	
AIRCRAFT	STATION(S)
A-6A	RADAR

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.


P.A. NAVY - AS Other Cust	TITLE CONTROL, INTERPHONE C-2644/AIC-14 PLASTIC LIGHTING PLATE, CONFIGURATION OF	MILITARY STANDARD	
		MS25491(AS)	
PROCUREMENT SPECIFICATION MIL-I-22352(AS)	SUPERSEDES:	SHEET 2	OF 10



USED ON	
AIRCRAFT	STATION(S)
A-6A	PLT

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS Other Cust	TITLE CONTROL, INTERPHONE C-2644/AIC-14 PLASTIC LIGHTING PLATE, CONFIGURATION OF	MILITARY STANDARD
PROCUREMENT SPECIFICATION MIL-I-22352(AS)	SUPERSEDES:	MS2549I(AS) SHEET 3 OF 10




USED ON	
AIRCRAFT	STATION(S)
A-6A	RADAR

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

APPROVED 22 JUNE 1960 REVISED (K) FOR CHANGES SEE SHEET 1


P.A. NAVY - AS Cibex Cust	TITLE CONTROL, INTERPHONE C-2644/AIC-14 PLASTIC LIGHTING PLATE, CONFIGURATION OF	MILITARY STANDARD	
		MS2549I(AS)	
PROCUREMENT SPECIFICATION MIL-I-22352(AS)	SUPERSEDES:	SHEET 4 OF 10	



USED ON	
AIRCRAFT	STATION(S)
VH-3A	RADAR, FORWARD AND AFT SECURITY

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS Other Cust	TITLE CONTROL, INTERPHONE C-2644/AIC-14 PLASTIC LIGHTING PLATE, CONFIGURATION OF	MILITARY STANDARD <b>MS25491(AS)</b>
PROCUREMENT SPECIFICATION MIL-I-22352(AS)	SUPERSEDES:	
		SHEET 5 OF 10




USED ON	
AIRCRAFT	STATION(S)
T-39D	PLT, CPLT, NAV

APPROVED 28 MAY 1962 REVISED (K) FOR CHANGES SEE SHEET 1

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS Other Cust	TITLE CONTROL, INTERPHONE C-2644/AIC-14 PLASTIC, LIGHTING PLATE, CONFIGURATION OF	MILITARY STANDARD	
		MS2549I(AS)	
PROCUREMENT SPECIFICATION MIL-I-22352 (AS)	SUPERSEDES:	SHEET	6 OF 10




USED ON	
AIRCRAFT	STATION(S)
CH 53A	PILOT, COPILOT

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

APPROVED 15 OCT 1963 REVISED (K) FOR CHANGES SEE SHEET 1

P.A. NAVY - AS Other Cust	TITLE CONTROL, INTERPHONE C-2644/AIC-14 PLASTIC LIGHTING PLATE, CONFIGURATION OF	MILITARY STANDARD <b>MS25491(AS)</b>
PROCUREMENT SPECIFICATION MIL-I-22352(AS)	SUPERSEDES:	SHEET 7 OF 10




USED ON	
AIRCRAFT	STATION(S)
CH 53A	HELITEAM LDR

APPROVED 15 OCT 1963 REVISED (K) FOR CHANGES SEE SHEET 1

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS Other Cust	TITLE  CONTROL, INTERPHONE C-2644/AIC-14 PLASTIC LIGHTING PLATE, CONFIGURATION OF	MILITARY STANDARD
		MS2549I(AS)
PROCUREMENT SPECIFICATION MIL-I-22352 (AS)	SUPERSEDES:	SHEET 8 OF 10






USED ON	
AIRCRAFT	STATION(S)
RH-53D(IIN)	PILOT, CO-PILOT
CH-53E	PILOT, CO-PILOT

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS Other Cust	TITLE CONTROL, INTERPHONE C-2644/AIG-14 PLASTIC LIGHTING PLATE, CONFIGURATION OF	MILITARY STANDARD	
		MS2549I(AS)	
PROCUREMENT SPECIFICATION MIL-I-22352 (AS)	SUPERSEDES:	SHEET	OF
		9	10



USED ON	
AIRCRAFT	STATION(S)
RH-53D(IIN)	JUMP SEAT
CH-53E	JUMP SEAT

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS Other Cust	TITLE CONTROL, INTERPHONE C-2644/AIC-14 PLASTIC LIGHTING PLATE, CONFIGURATION OF	MILITARY STANDARD	
		MS2549I(AS)	
PROCUREMENT SPECIFICATION MIL-I-22352 (AS)	SUPERSEDES:	SHEET 10	OF 10