

| USED ON  |            |
|----------|------------|
| AIRCRAFT | STATION(S) |
| A-6A     | RADAR      |

**NOTES: (SHEETS 1 THRU 10)**

1. UNLESS OTHERWISE SPECIFIED, ALL CHARACTERS PER MIL-C-18012, 1/8 INCH HIGH.
2. PANEL SHALL CONFORM TO MIL-P-7788.
3. THE ABOVE MARKINGS APPLY TO ALL AIRCRAFT HAVING AFC 123 INCORPORATED.

(K) INACTIVE FOR DESIGN AFTER 10 AUGUST 1984  
NO SUPERSEDING STANDARD.

(K) FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS, OR REQUEST FOR PROPOSAL, EXCEPT THAT REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.

(K) DENOTES CHANGE

|   |  |   |
|---|--|---|
| P.A. NAVY - AS<br>Other Cust                  | TITLE<br>CONTROL, INTERPHONE C-2644/AIC-14<br>PLASTIC LIGHTING PLATE, CONFIGURATION OF | MILITARY STANDARD<br><b>MS25491(AS)</b> |
| PROCUREMENT SPECIFICATION<br>MIL-I-22352 (AS) | SUPERSEDES:  | SHEET 1 OF 10                           |

DD FORM 672-1 (Limited coordination)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 23071

PROJECT NO. 5831-N044

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.


APPROVED 22 JUN 1960 REVISED (J) 25 AUG 1975 (K) 10 AUG 84



| USED ON  |            |
|----------|------------|
| AIRCRAFT | STATION(S) |
| A-6A     | RADAR      |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.


|  |  |                   |       |
|--|--|-------------------|-------|
| P.A. NAVY - AS<br>Other Cust                 | TITLE<br>CONTROL, INTERPHONE C-2644/AIC-14<br>PLASTIC LIGHTING PLATE, CONFIGURATION OF | MILITARY STANDARD |       |
|  |  | MS2549I(AS)       |       |
| PROCUREMENT SPECIFICATION<br>MIL-I-22352(AS) | SUPERSEDES:  | SHEET 2           | OF 10 |



| USED ON  |            |
|----------|------------|
| AIRCRAFT | STATION(S) |
| A-6A     | PLT        |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

|  |  |   |
|--|--|---|
| P.A. NAVY - AS<br>Other Cust                 | TITLE<br>CONTROL, INTERPHONE C-2644/AIC-14<br>PLASTIC LIGHTING PLATE, CONFIGURATION OF | MILITARY STANDARD<br><b>MS2549I(AS)</b> |
| PROCUREMENT SPECIFICATION<br>MIL-I-22352(AS) | SUPERSEDES:  | SHEET 3 OF 10                           |




| USED ON  |            |
|----------|------------|
| AIRCRAFT | STATION(S) |
| A-6A     | RADAR      |

APPROVED 22 JUNE 1960 REVISED (K) FOR CHANGES SEE SHEET 1

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.


|  |  |                   |  |
|--|--|-------------------|--|
| P.A. NAVY - AS<br>Cibex Cust                 | TITLE<br>CONTROL, INTERPHONE C-2644/AIC-14<br>PLASTIC LIGHTING PLATE, CONFIGURATION OF | MILITARY STANDARD |  |
|  |  | MS2549I(AS)       |  |
| PROCUREMENT SPECIFICATION<br>MIL-I-22352(AS) | SUPERSEDES:  | SHEET 4 OF 10     |  |



| USED ON  |                                 |
|----------|---------------------------------|
| AIRCRAFT | STATION(S)                      |
| VH-3A    | RADAR, FORWARD AND AFT SECURITY |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

|  |  |   |
|--|--|---|
| P.A. NAVY - AS<br>Other Cust                 | TITLE<br>CONTROL, INTERPHONE C-2644/AIC-14<br>PLASTIC LIGHTING PLATE, CONFIGURATION OF | MILITARY STANDARD<br><b>MS25491(AS)</b> |
| PROCUREMENT SPECIFICATION<br>MIL-I-22352(AS) | SUPERSEDES:  |   |
|  |  | SHEET 5 OF 10                           |



| USED ON  |                |
|----------|----------------|
| AIRCRAFT | STATION(S)     |
| T-39D    | PLT, CPLT, NAV |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS  
Other Cust

TITLE

CONTROL, INTERPHONE C-2644/AIC-14  
PLASTIC, LIGHTING PLATE, CONFIGURATION OF

MILITARY STANDARD

MS2549I(AS)

PROCUREMENT SPECIFICATION  
MIL-I-22352 (AS)

SUPERSEDES:


SHEET 6 OF 10

DD FORM 672-1 (Limited coordination)  
1 MAR 72

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 23071

APPROVED 28 MAY 1962 REVISED (K) FOR CHANGES SEE SHEET 1




| USED ON  |                |
|----------|----------------|
| AIRCRAFT | STATION(S)     |
| CH 53A   | PILOT, COPILOT |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

APPROVED 15 OCT 1963 REVISED (K) FOR CHANGES SEE SHEET 1

|  |  |                              |
|--|--|------------------------------|
| P.A. NAVY - AS<br>Other Cost                 | TITLE<br>CONTROL, INTERPHONE C-2644/AIC-14<br>PLASTIC LIGHTING PLATE, CONFIGURATION OF | MILITARY STANDARD            |
| PROCUREMENT SPECIFICATION<br>MIL-I-22352(AS) | SUPERSEDES:  | MS2549I(AS)<br>SHEET 7 OF 10 |




| USED ON  |              |
|----------|--------------|
| AIRCRAFT | STATION(S)   |
| CH 53A   | HELITEAM LDR |

APPROVED 15 OCT 1963 REVISED (K) FOR CHANGES SEE SHEET 1

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

|   |  |                   |
|---|--|-------------------|
| P.A. NAVY - AS<br>Other Cust                  | TITLE<br>CONTROL, INTERPHONE C-2644/AIC-14<br>PLASTIC LIGHTING PLATE, CONFIGURATION OF | MILITARY STANDARD |
| PROCUREMENT SPECIFICATION<br>MIL-I-22352 (AS) | SUPERSEDES:  | MS2549I(AS)       |
| SHEET 8                                       | OF 10  |                   |






| USED ON     |                 |
|-------------|-----------------|
| AIRCRAFT    | STATION(S)      |
| RH-53D(IIN) | PILOT, CO-PILOT |
| CH-53E      | PILOT, CO-PILOT |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

|   |  |                   |    |
|---|--|-------------------|----|
| P.A. NAVY - AS<br>Other Cust                  | TITLE<br>CONTROL, INTERPHONE C-2644/AIG-14<br>PLASTIC LIGHTING PLATE, CONFIGURATION OF | MILITARY STANDARD |    |
|   |  | MS2549I(AS)       |    |
| PROCUREMENT SPECIFICATION<br>MIL-I-22352 (AS) | SUPERSEDES:  | SHEET             | OF |
|   |  | 9                 | 10 |



| USED ON     |            |
|-------------|------------|
| AIRCRAFT    | STATION(S) |
| RH-53D(IIN) | JUMP SEAT  |
| CH-53E      | JUMP SEAT  |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

|   |  |                   |       |
|---|--|-------------------|-------|
| P.A. NAVY - AS<br>Other Cust                  | TITLE<br>CONTROL, INTERPHONE C-2644/AIC-14<br>PLASTIC LIGHTING PLATE, CONFIGURATION OF | MILITARY STANDARD |       |
|   |  | MS25491(AS)       |       |
| PROCUREMENT SPECIFICATION<br>MIL-I-22352 (AS) | SUPERSEDES:  | SHEET 10          | OF 10 |