


FED. SUP CLASS
5831

| USED ON | |
|----------|--------------------------|
| AIRCRAFT | STATION (S) |
| E-2A | PLT, CPLT, CICO, ACO, RO |

NOTES (SHTS 1 THRU 25)

1. UNLESS OTHERWISE SPECIFIED, ALL CHARACTERS SHALL CONFORM TO MIL-M-18012, 1/8 INCH HIGH.
2. PANEL SHALL CONFORM TO MIL-P-7788.

(J) INACTIVE FOR DESIGN AFTER 10 AUGUST 1984
NO SUPERSEDING STANDARD.

(J) FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS, OR REQUEST FOR PROPOSAL, EXCEPT THAT REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.


(J) DENOTES CHANGES

| | | |
|--|--|-------------------|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD |
| | | MS25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352(AS) | SUPERSEDES: | SHEET 1 OF 26 |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

FED. SUP CLASS

5831



| USED ON | |
|----------|------------------|
| AIRCRAFT | STATION(S) |
| KC-130 | ALL (8) STATIONS |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS
Other Cust

TITLE

PLATE, PLASTIC, LIGHTING FOR INTERPHONE
CONTROL C-2647A/AIC-14

MILITARY STANDARD


MS25492(AS)

PROCUREMENT SPECIFICATION
MIL-I-22352(AS)

SUPERSEDES:

SHEET


2 OF 26

FED. SUP CLASS
5831

| USED ON | |
|----------|-----------------------|
| AIRCRAFT | STATION(S) |
| KC-130 | PLT, COPLT, NAV, ENGR |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

| | | |
|--|--|---|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD MS25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352(AS) | SUPERSEDES: | |
| | | SHEET 3 OF 26 |

FED. SUP CLASS
5831

| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| KC-130 | RADIO OPR |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS
Other Cust

TITLE

PLATE, PLASTIC, LIGHTING FOR INTERPHONE
CONTROL C-2647A/AIC-14


MILITARY STANDARD

MS25492(AS)

PROCUREMENT SPECIFICATION
MIL-I-22352(AS)

SUPERSEDES:

SHEET 4 OF 26

FED. SUP CLASS
5831

| USED ON | |
|----------|------------------|
| AIRCRAFT | STATION (S) |
| KC-130 | RIGHT & LEFT OBS |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS
Other Cust

TITLE

PLATE, PLASTIC, LIGHTING FOR INTERPHONE
CONTROL C-2647A/AIC-14

MILITARY STANDARD


MS25492(AS)

PROCUREMENT SPECIFICATION
MIL-I-22353(AS)

SUPERSEDES:

SHEET


5 OF 26

FED. SUP CLASS
5831

| USED ON | |
|----------|-------------------------|
| AIRCRAFT | STATION(S) |
| S-2D/E | PLT, CPLT, OPR 3, OPR 4 |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.


| | | |
|---|--|---|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD MS25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352 (AS) | SUPERSEDES: | SHEET 6 OF 26 |

FED. SUP CLASS
5831

| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| P-3A | PLT |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

| | | |
|--|--|-------------------|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD |
| | | MS25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352(AS) | SUPERSEDES: | SHEET 7 OF 26 |

FED. SUP CLASS
5831


| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| P-3A | COPLT |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

REVISED (J) FOR CHANGES SEE SHEET 1

APPROVED

| | | |
|--|--|--|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD MS 25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352(AS) | SUPERSEDES: | SHEET 8 OF 26 |

FED. SUP CLASS
5831

| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| P-3A | RADIO OPR |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.


| | | |
|---|--|---|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD MS25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I- 22352(AS) | SUPERSEDES: | SHEET 9 OF 26 |

DD FORM 1 SEP 57 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 17709

APPROVED
REVISED (J) FOR CHANGES SEE SHEET 1

FED. SUP CLASS
5831

| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| P-3A | RADAR OPR |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS
Other Cust

TITLE

PLATE, PLASTIC, LIGHTING FOR INTERPHONE
CONTROL C-2647A/AIC-14

MILITARY STANDARD

MS25492(AS)

PROCUREMENT SPECIFICATION
MIL-I-22352(AS)

SUPERSEDES:

SHEET

10 OF 26

DD FORM 1 SEP 57 672-1 (Limited coordination)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 17709

APPROVED REVISED (J) FOR CHANGES SEE SHEET 1

FED. SUP CLASS


5831



| USED ON | |
|----------|-------------|
| AIRCRAFT | STATION (S) |
| P-3A | JULIE |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.


| | | |
|--|--|---|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD MS25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22353(AS) | SUPERSEDES: | SHEET 11 OF 26 |

FED. SUP CLASS
5831

| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| P-3A | NAV |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.


| | | |
|--|--|---|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD MS2 5492 (AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352(AS) | SUPERSEDES: | SHEET 12 OF 26 |

FED. SUP CLASS
5831

| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| P-3A | COORD |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

| | | |
|--|--|--------------------|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD |
| | | MS25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352(AS) | SUPERSEDES: | SHEET 13 OF 26 |


FED. SUP CLASS
5831

| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| P-3A | JEZ |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

APPROVED
REVISED ① FOR CHANGES SEE SHEET 1

| | | |
|--|--|--|
| P.A. NAVY - AS Other Cost | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD MS 25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352(AS) | SUPERSEDES: | SHEET 14 OF 26 |

FED. SUP CLASS
5831

| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| P-3A | COORD |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS
Other Cust

TITLE

PLATE, PLASTIC, LIGHTING FOR INTERPHONE
CONTROL C-2647A/AIC-14


MILITARY STANDARD

MS25492(AS)

PROCUREMENT SPECIFICATION
MIL-I-22352(AS)

SUPERSEDES:

SHEET
15 OF 26

FED. SUP CLASS
5831

| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| P-3A | COORD |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS
Other Cust

TITLE

PLATE, PLASTIC, LIGHTING FOR INTERPHONE
CONTROL C-2647A/AIC-14

MILITARY STANDARD

MS 25 492(AS)

PROCUREMENT SPECIFICATION
MIL-I-22352 (AS)


SUPERSEDES:

SHEET

16 OF 26

APPROVED


REVISED (J) FOR CHANGES SEE SHEET 1

FED. SUP CLASS
5831

| USED ON | |
|----------|----------------|
| AIRCRAFT | STATION(S) |
| P-3A | PLT, CPLT, NAV |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

| | | |
|--|--|---------------------|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD |
| | | MS 25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352(AS) | SUPERSEDES: | SHEET 17 OF 26 |

FED. SUP CLASS
5831

| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| SH-3A | PLT, CPLT |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS
Other Cust

TITLE

PLATE, PLASTIC, LIGHTING FOR INTERPHONE
CONTROL C-2647A/AIC-14

MILITARY STANDARD


MS25492(AS)

PROCUREMENT SPECIFICATION
MIL-I-22352(AS)

SUPERSEDES:

SHEET

18 OF 26

FED. SUP CLASS
5831

| BASED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| VH-3A | PLT, CPLT |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS
Other Cust

TITLE

PLATE, PLASTIC, LIGHTING FOR INTERPHONE
CONTROL C-2647A/AIC-14


MILITARY STANDARD

MS25492(AS)

PROCUREMENT SPECIFICATION
MIL-I-22352(AS)

SUPERSEDES:

SHEET
19 OF 26


FED. SUP CLASS
5831

| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| C-2A | CPLT |

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

APPROVED 9 DEC 1963 REVISED 1 FOR CHANGES: SEE SHEET 1

| | | |
|--|--|--|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD MS 25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352(AS) | SUPERSEDES: | SHEET 20 OF 26 |

FED. SUP CLASS
5831

| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| SH-3A | PLT, CPLT |

NOTE:

MARKINGS EFFECTIVE SERIAL 152104 AND SUBSEQUENT.

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS
Other Cust

TITLE

PLATE, PLASTIC, LIGHTING FOR INTERPHONE
CONTROL C-2647A/AIC-14PROCUREMENT SPECIFICATION
MIL-I-22352 (AS)


SUPERSEDES:

MILITARY STANDARD

MS25492(AS)

SHEET

21 OF 26

FED. SUP CLASS
5831


| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| RH-3A | PLT, CPLT |

NOTE:

EFFECTIVITY: AIRCRAFT BUREAU NUMBERS - 147139, 147140, 147141, 147142, 147146, 148038, 148040, 148041.

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

| | | |
|--|--|---|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD MS25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352(AS) | SUPERSEDES: | SHEET 22 OF 26 |

FED. SUP CLASS
5831

| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| C-2A | PILOT |

NOTE:


EFFECTIVITY: AIRCRAFT BUREAU NUMBERS - 152786 and SUBSEQUENT
RETROFIT 148148.

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

| | | |
|---|--|-------------------|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/A1C-14 | MILITARY STANDARD |
| | | MS25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352 (AS) | SUPERSEDES: | SHEET 23 OF 26 |

FED. SUP CLASS

5831




| USED ON | |
|----------|------------|
| AIRCRAFT | STATION(S) |
| SH-3D | PLT, CPLT |

NOTE: THE ABOVE MARKINGS APPLY TO SH-3D SERIAL 154108 AND SUBSEQUENT.

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

APPROVED 23 SEPT 1964 REVISED (J) FOR CHANGES SEE SHEET 1

| | | |
|--|--|---|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD MS25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352(AS) | SUPERSEDES: | SHEET 24 OF 26 |

FED. SUP CLASS
5831


| USED ON | |
|----------|------------------------|
| AIRCRAFT | STATION(S) |
| S-2E | FLT, CPLT, OPR 3, OPR4 |

NOTE: THIS DRAWING IS TO BE USED IN CONJUNCTION WITH TECHNICAL DIRECTIVE "AVC 823." THIS IS ONLY APPLICABLE TO THOSE S-2E AIRCRAFT HAVING AIRFRAME CHANGE S-2/C-1484 INCORPORATED.

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

(H) CANCELED, SEE SHEET 26

| | | |
|--|--|-------------------|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 | MILITARY STANDARD |
| | | MS25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352(AS) | SUPERSEDES: | SHEET 25 OF 26 |

FED. SUP CLASS
5381

| USED ON | |
|----------|-------------|
| AIRCRAFT | STATION (S) |
| S-2E | PLT |

NOTE:

THIS DRAWING IS TO BE USED IN CONJUNCTION WITH TECHNICAL DIRECTIVE AVC 1302. . THIS IS ONLY APPLICABLE TO THOSE S-2E AIRCRAFT HAVING S-2/C-1 AIRFRAME CHANGE 500 INCORPORATED.

This military standard is approved for use by Naval Air Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

(H) ADDED SHEET

| | | |
|--|---|--|
| P.A. NAVY - AS Other Cust | TITLE PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC -14 | MILITARY STANDARD MS 25492(AS) |
| PROCUREMENT SPECIFICATION MIL-I-22352(AS) | SUPERSEDES: | SHEET 26 OF 26 |