


NOTICE—When government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have furnished, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

FED. SUP CLASS


1680

SNAPSLIDE FASTENER, AN3195-4
SNAPSLIDE FASTENER STUD,
AN3195-1



SECTION A-A
ENLARGED

HINGE MATERIAL OPTIONAL
HINGE TO INCORPORATE
SUITABLE SPRING FOR
HOLDING LID IN OPEN POSITION



ALUMINUM

DASH NO.

-1

FIBERGLASS

DASH NO.

(a) -1F

4 HOLES

STIFFENING RIB TO BE FORMED
DURING FABRICATION

(a) FIBERGLASS, 4 PLY CROSS LAMINATED, 1/16 IN. THICK (MAX) USE ONLY WHEN SPECIFIED. ALUMINUM PREFERRED.

MATERIAL: ALUMINUM ALLOY, SPECIFICATION QQ-A-561, 1/2 HARD, .040 THICK.

(A) FINISH: PAINT IN ACCORDANCE WITH SPECIFICATION MIL-T-704, COLOR LUSTERLESS BLACK NO. 37038 OF FED STD 595.

LETTERING TO BE LUSTERLESS WHITE COLOR 37875 OF FED STD 595.

DIMENSIONS IN INCHES, UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS $\pm .032$.

GENERAL OUTLINE AND DIMENSIONS SHOWN, OTHER DIMENSIONS LEFT OPEN TO STANDARD FABRICATION PRACTICE OF MATERIAL USED.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

P.A.	Navy - wcp	TITLE	MILITARY STANDARD
Other Cust	USAF	CASE, FLIGHT REPORT HOLDER AND MAP	MS26556(ASG)
PROCUREMENT SPECIFICATION	NONE	SUPERSEDES: AN2011	SHEET 1 OF 1

DD FORM 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

APPROVED 5 Jun 58 REVISED 31 May 60

Standard has been approved by the Bureau (Department of the Navy) and the Department of the USAF and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.