


FED SUP CLASS
9905



SLOTS IN
MS27253-2
MS27253-C2
MS27253-P2
MS27253-4
MS27253-C4
and MS27253-P4
ONLY

102±.004 DIA
4 HOLES IN
MS27253 MS27253 C
& MS27253 P ONLY

NOTES

- PLAIN DASH NUMBERS INDICATE ALUMINUM
ADD C BEFORE DASH NUMBER FOR CORROSION-RESISTANT STEEL
ADD F BEFORE DASH NUMBER FOR ALUMINUM FOIL DECAL
ADD P BEFORE DASH NUMBER FOR PLASTIC MATERIALS
EXAMPLES OF PART NO
MS27253 -1 - ALUMINUM PLATE, IDENTIFICATION AND MODIFICATION .032 MAX THICKNESS 1 5/8 IN TOTAL LENGTH, 1 1/8 IN TOP LENGTH 3 SPACES
MS27253-C2 CORROSION-RESISTANT STEEL PLATE IDENTIFICATION AND MODIFICATION .016 MAX THICKNESS, 3 IN TOTAL LENGTH 1 1/8 IN TOP LENGTH 11 SPACES
MS27253-F3 - ALUMINUM FOIL DECAL PLATE, IDENTIFICATION AND MODIFICATION .004 MAX THICKNESS 1 3/4 IN TOTAL LENGTH 1 1/4 IN TOP LENGTH, 3 SPACES
MS27253-P4 - PLASTIC PLATE, IDENTIFICATION AND MODIFICATION .010 MAX THICKNESS 3 IN TOTAL LENGTH, 1 1/4 IN TOP LENGTH 10 SPACES
- MATERIALS CORROSION-RESISTANT STEEL, ANNEALED SPECIFICATION MIL-S-6721 (TI STABILIZED) OR SPECIFICATION QQ-S-766, CLASS 321, .016 MAXIMUM THICKNESS (FOR TEMPERATURES UP TO 1600°F)
ALUMINUM SPECIFICATION QQ-A-250/1C, .032 MAXIMUM THICKNESS (FOR TEMPERATURES UP TO 600°F)
ALUMINUM FOIL WITH PRESSURE SENSITIVE ADHESIVE BACKING, .004 MAXIMUM THICKNESS (FOR TEMPERATURES UP TO 200°F)
PLASTIC MATERIALS SHALL BE CLEAR MYLAR MATTE ONE SIDE, .010 MAXIMUM THICKNESS
- DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED TOLERANCES FRACTIONS ± 1/16, DECIMALS ± .010
- FOR THE LOCATION AND ATTACHMENT OF THIS PLATE, SEE SPECIFICATION MIL-P-8651
- LETTERING SHALL BE PERMANENT AND LEGIBLE & SHALL BE STANDARD GOTHIC TYPE UNLESS OTHERWISE SPECIFIED BY THE PROCURING ACTIVITY
- REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID
- FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for regenerative use shall be made from this document.

REVIEW ACTIVITIES
ARMY - AV
NAVY - AS

PA USAF-84 (B) TITLE
Other Cases
NAVY - AS
ARMY - GL
PROCUREMENT SPECIFICATION
MIL-P-6906

SUPERSEDES AN7510

MILITARY STANDARD
MS27253
SHEET OF

DD FORM 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DATE

DRAWN BY *W. J. Kelly* 19 NOV 70
TYPED BY *R. J. J. [unclear]* 19 NOV 70

NOTES TO PRINTER REDUCE BORDER TO 6-27/32x9-3/4 PRINT LEFT BORDER-LINE ONE INCH FROM LEFT EDGE OF 8-10-1/2 SHEET

APPROVED 1 OCT 64 REVISED A 16 JULY 68 B 2 SEPT 71