INCH-POUND
MS27478G
13 April 2012
SUPERSEDING
MS27478F
12 July 2002

DETAIL SPECIFICATION SHEET

CONNECTORS, RECEPTACLE, ELECTRICAL, SOLDER MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES II

Reactivated after 24 May 2004 and may be used for new and existing designs and acquisitions.

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-38999.





FIGURE 1. Receptacle, class Y.

AMSC N/A FSC 5935

MS27478G



STYLE S

Shell	Q	V	XX
size	+.011	+.001	max
	010	005	
	dia	dia	
8	.687	.562	
10	.797	.672	
12	.906	.781	
14	1.031	.906	.125
16	1.156	1.031	
18	1.281	1.156	
20	1.375	1.250	
22	1.500	1.375	.156
24	1.625	1.500	

FIGURE 1. Receptacle, class Y - Continued.

MS27478G

Inches	mm	Inches	mm	Inches	mm	Inches	mm
.001	0.03	.016	0.41	.359	9.12	.906	23.01
.003	0.08	.031	0.79	.375	9.53	1.031	26.19
.005	0.13	.053	1.35	.428	10.87	1.156	29.36
.007	0.18	.116	2.95	.562	14.27	1.250	31.75
.008	0.20	.125	3.18	.672	17.07	1.281	32.54
.010	0.25	.156	3.96	.687	17.45	1.375	34.93
.011	0.28	.238	6.05	.781	19.84	1.500	38.10
.012	0.30	.317	8.05	.797	20.24	1.625	41.28

NOTES:

- 1. Dimensions are in inches.
- 2. Metric equivalents are given for information only.
- 3. For main keyway polarization and keyway positions, see MIL-DTL-38999.

FIGURE 1. Receptacle, class Y – Continued.

MS27478G

REQUIREMENTS:

Dimensions and configuration: See figure 1. Interface dimensions shall conform to MIL-DTL-38999.

This receptacle mates with MS27473, MS27480, MS27484 and MS27500.

Insert arrangements: See MIL-STD-1560.

Part or Identifying Number (PIN) example:

	MS27478	Y	<u>24</u> 	<u>E</u> 6	<u>1 P</u>	<u> </u>
MS number ————————————————————————————————————						
Shell size						
Finish ————						
Insert arrangement						
Contact style						
Polarizing positions ————————————————————————————————————						

Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue, due to the extent of the changes.

Referenced documents. In addition to MIL-DTL-38999, this document references the following:

MIL-STD-1560 MS27473 MS27480 MS27484 MS27500

CONCLUDING MATERIAL

Custodians: Preparing activity:

 $\mathsf{Army}-\mathsf{CR} \qquad \qquad \mathsf{DLA}-\mathsf{CC}$

Navy – AS Air Force - 85 (Project: 5935-2012-038)

DLA – CC

Review activities:

Army – AR, MI Navy – EC, MC, OS Air Force – 19, 99 DLA – IS

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.daps.dla.mil.