



THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: HII-11-26385

THIS SPECIFICATION IS APPROVED FOR USE BY THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENT AND AGENCIES OF THE DEPARTMENT OF DEFENSE



STANDARD PART NUMBERS

MS PART NUMBER	D ±0.031	L ±5-8%
MS27797-06-032	0.375	3.2
-06-060	0.375	6.0
-06-140	0.375	14.0
-06-214	0.375	21.4
-10-080	0.625	8.0
-10-085	0.625	8.5
-10-115	0.625	11.5
-10-120	0.625	12.0
-10-180	0.625	18.0
-10-200	0.625	20.0
-10-240	0.625	24.0

- NOTES:
- DEFINITIVE MS PART NUMBERS ARE FORMATTED AS FOLLOWS: MS PART NUMBER IS FIRST, FOLLOWED BY TWO DASH NUMBERS. FIRST DASH NUMBER IS HOSE ID IN SIXTEENTHS OF AN INCH. SECOND DASH NUMBER IS LENGTH IN TENTHS OF AN INCH. EXAMPLE: MS27797-10-240, 0.625 ID HOSE, 24 INCHES IN LENGTH.
 - NON-STANDARD ITEM PART NUMBERS WILL BE FORMATTED PER NOTE 1.
 - DIMENSIONS ARE IN DECIMAL/INCHES.
 - TOLERANCES ARE AS SPECIFIED.
 - WORKMANSHIP: HOSE MUST BE CLEAN, DRY, AND FREE FROM OIL, GREASE, AND OTHER FOREIGN MATERIAL.
 - REVISION LETTERS ARE NOT USED TO DENOTE CHANGES DUE TO THE EXTENSIVENESS OF THE CHANGES.

PREPARING ACTIVITY: 71
CUSTODIANS: ARMY- NAVY-
AIR FORCE- 99 DIA-

REVIEW: 11, 82 CS
USER:
PROJECT NUMBER: 4720-F048

MILITARY SPECIFICATION SHEET
TITLE
HOSE, OXYGEN AND PRESSURIZATION
OZONE RESISTANT

SPECIFICATION SHEET NUMBER
MS27797C 13 DEC 1989
SUPERSEDING
MS27797B 19 Oct 83
AMSC- N/A FSC- 4720

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED