






THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-F-10884

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

 <p style="text-align: center;">PRONGED RING</p>		Form Approved OMB No. 0704-0188															
 <p style="text-align: center;">SOCKET (MULTIPLE SEGMENT OR FLOATING SPRING DESIGN OPTIONAL)</p>																	
 <p style="text-align: center;">REINFORCED SOCKET</p>																	
<p style="text-align: right;">NOTE: PRONGED RING W/SOCKET OR PRONGED RING W/REINF. SOCKET CONSTITUTE THE FEMALE HALF OF STYLE 3 FASTENER.</p>																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3" style="text-align: center;">DASH NO.</th> </tr> <tr> <th></th> <th style="text-align: center;">BLACK</th> <th style="text-align: center;">NICKEL PLATE</th> </tr> </thead> <tbody> <tr> <td>PRONGED RING</td> <td style="text-align: center;">-1B</td> <td style="text-align: center;">-1N</td> </tr> <tr> <td>SOCKET</td> <td style="text-align: center;">-2B</td> <td style="text-align: center;">-2N</td> </tr> <tr> <td>REINF. SOCKET</td> <td style="text-align: center;">-3B</td> <td style="text-align: center;">-3N</td> </tr> </tbody> </table>			DASH NO.				BLACK	NICKEL PLATE	PRONGED RING	-1B	-1N	SOCKET	-2B	-2N	REINF. SOCKET	-3B	-3N
DASH NO.																	
	BLACK	NICKEL PLATE															
PRONGED RING	-1B	-1N															
SOCKET	-2B	-2N															
REINF. SOCKET	-3B	-3N															
(D) ENTIRE SPECIFICATION REVISED																	
INCH-POUND																	
PREPARING ACTVITY: DLA-IS CUSTODIANS: ARMY- GL NAVY- AS AIR FORCE- 99 DLA- REVIEW: AL, AR, AT, ER, MC, ME, MI, MS, SA, CT PROJECT NUMBER: 5325-0319		MILITARY SPECIFICATION SHEET TITLE FASTENERS, SNAP, STYLE 3 (PRONGED RING HEAD TYPE) (16 LIGNE)															
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.		SPECIFICATION SHEET NUMBER MS27982 21 OCT 84 REV D SUPERSEDING MS27982 C 31 JULY 1978 (SEE NOTE 4.) AMSC- N/A FSC 5325															
DD Form 672, MAY 88		Page <u>1</u> of <u>3</u>															


THE REQUIREMENTS FOR ACCOMPLISHING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-F-10884

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

DASH NO.		MILITARY SPECIFICATION SHEET		SPECIFICATION SHEET NUMBER	
	BLACK	NICKEL PLATE	TITLE	FASTENERS, SNAP, STYLE 3 (PRONGED RING HEAD TYPE)	MS27982
STUD	-4B	-4N			21 OCT 94 REV D
EYELET	-5B	-5N			SUPERSEDING MS27982 C 31 JULY 1978 (SEE NOTE 4.)
REVERSIBLE STUD	-6B	-6N			AMSC- N/A FSC 5325
PREPARING ACTIVITY: DLA-IS CUSTODIANS: ARMY- GL NAVY- AS AIR FORCE- 99 DLA- REVIEW: AL, AR, AT, ER, MC, ME, MI, MS, SA, CT PROJECT NUMBER: 5325-0319				DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.	
Page <u>2</u> of <u>3</u>					

DD Form 672, MAY 88

PREVIOUS EDITIONS ARE OBSOLETE



NOTE: STUD AND EYELET CONSTITUTE THE MALE HALF STYLE 3 FASTENER. REVERSIBLE STUD, WHEN APPLICABLE, IS USED WITH PRONGED RING SHOWN ON SHEET 2.

Form Approved
OMB No. 0704-0188

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODSS SPECIFIED IN THE SOLICITATION: MIL-F-10884


THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

Form Approved
OMB No 0704-0188

REQUIREMENTS:

1. MATERIAL: ALL COMPONENTS ARE COMMERCIAL BRASS 6040.
2. FINISH:
 - a. BLACK
 - b. NICKEL PLATE.
3. COMPONENT PARTS OF THE SAME FASTENER SHALL BE PRODUCED BY THE SAME MANUFACTURER.
4. PART NUMBER: THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER PLUS THE DASH NUMBER.

EXAMPLE: MS27982 - 1 B



NOTES:

1. DIMENSIONS ARE IN INCHES. DIMENSIONS FOR INFORMATION PURPOSES ONLY. PRODUCTION DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH DRAWINGS REFERENCED IN MIL-F-10884.
2. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS DOCUMENT AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS DOCUMENT SHALL TAKE PRECEDENCE.
3. UNLESS OTHERWISE SPECIFIED, ISSUES OF REFERENCED DOCUMENTS ARE THOSE IN EFFECT AT THE TIME OF SOLICITATION.
4. MS27982 SUPERSEDES AN227.

PREPARING ACTIVITY: DLA-IS CUSTODIANS: ARMY- GL NAVY- AS AIR FORCE- 99 DLA- REVIEW: AL, AR, AT, ER, MC, ME, MI, MS, SA, CT PROJECT NUMBER: S325-0319	MILITARY SPECIFICATION SHEET TITLE FASTENERS, SNAP, STYLE 3 (PRONGED RING HEAD TYPE) (16 LIGNE)	SPECIFICATION SHEET NUMBER MS27982 21 OCT 84 REV D SUPERSEDING MS27982 C 31 JULY 1978 (SEE NOTE 4.) AMSC- N/A FSC 5325
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.		Page <u>3</u> of <u>3</u>

DD Form 672, MAY 88

PREVIOUS EDITIONS ARE OBSOLETE