INCH-POUND

MS28761B 6 April 2001 SUPERSEDING MS28761A 22 August 1970

#### **DETAIL SPECIFICATION SHEET**

# FITTING END, STRAIGHT, ATTACHABLE, HYDRAULIC, HIGH PRESSURE HOSE (3,000 PSI), FLARELESS TUBE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of MIL-DTL-8789.




FIGURE 1. Fitting end, straight, flared tube.

1 of 3

AMSC N/A <u>DISTRIBUTION STATEMENT A</u>. Approved for public release; distribution is unlimited.

FSC 4730

#### MS28761B

TABLE I. Fitting end sizes and dimensions.

Size	Hose	Tubing	Nut	Α	В	Е	F	G
dash	ID	OD		Max	Max	Min	Min	
no.	ref							
4	.219	.250	AS21921-4	.875	2.491	.188	.146	.563
5	.281	.312	AS21921-5	.937	2.631		.177	.625
6	.344	.375	AS21921-6	1.160	3.000	.250	.271	.688
8	.438	.500	AS21921-8	1.375	3.310		.365	.875
10	.563	.625	AS21921-10	1.550	3.564	.312	.455	1.000
12	.688	.750	AS21921-12	1.740	3.823		.568	1.250
16	.875	1.000	AS21921-16	2.000	4.511	.375	.800	1.500

#### **REQUIREMENTS:**

- 1. See table I for fitting end sizes and dimensions.
- 2. Material: Nipples and nuts shall be of steel and the socket shall be of aluminum as specified in MIL-DTL-8789.
- 3. Hex or flats shall fit standard wrench openings.
- 4. A non-standard swivel nut may be used provided the hex and thread dimensions are in accordance with AS21921 and provided the nut cannot be removed from assembly.
- 5. The fitting identification shall be marked in accordance with MIL-DTL-8789.

#### NOTES:

- 1. All dimensions are in inches.
- 2. Unless otherwise specified, tolerances: ±.005.
- 3. These fittings are for use with MIL-DTL-8788 hose.
- 4. This specification sheet takes precedence over documents referenced herein.
- 5. Referenced documents shall be of the issue listed in the issue of the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto, cited in the solicitation.

### MS28761B

## 6. Part or Identifying Number (PIN):

Example of a PIN: MS28760-4

	MS28761	4
Document identifier —		
Size dash no. (see table I.)		

Custodians:

Air Force - 99

Army - AT Navy - AS DLA - CC

Preparing activity:

DLA - CC

(Project 4730-0767)

Review activities:

Air Force - 71

Army - AV, MI Navy - SA