INCH-POUND


MS28762D w/AMENDMENT 2 <u>14 January 2014</u> SUPERSEDING w/AMENDMENT 1 26 July 2012

### DETAIL SPECIFICATION SHEET

## HOSE ASSEMBLY, RUBBER, HYDRAULIC, 3000 PSI, STRAIGHT TO STRAIGHT, FLARELESS TUBE FIELD ATTACHABLE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-8790.



Dash size number (see note 4)	Tubing OD ref. inch (mm)	Hose ID ref. inch (mm)	End fitting PIN
-4	.25 (6.35)	.22 (5.59)	MS28761-4
-5	.31 (7.87)	.28 (7.11)	MS28761-5
-6	.38 (9.65)	.34 (8.64)	MS28761-6
-8	.50 (12.70)	.44 (11.18)	MS28761-8
-10	.63 (16.00)	.56 (14.22)	MS28761-10
-12	.75 (19.05)	.69 (17.53)	MS28761-12
-16	1.00 (25.40)	.88 (22.35)	MS28761-16

FIGURE 1. Hose assembly, flareless tube configuration and dimensions.

AMSC N/A

FSC 4720

#### MS28762D w/AMENDMENT 2

NOTES:

- 1. Dimensions are in inches.
- 2. Metric equivalents are for information only.
- 3. Hose assembly lengths (L) shall be as specified with the following tolerances:
  - a. Under 18 inches (0.46 m) long (± .13 inch (3.3 mm)).
  - b. Over 18 to 36 inches (0.46 to 0.91 m) long (± .25 inch (6.4 mm)).
  - c. Over 36 to 50 inches long (0.91 to 1.27 m) (± .50 inch (12.7 mm)).
  - d. Over 50 inches long ( $\pm$  1%).
- 4. Dash size number refers to the nominal outside diameter of the tubing in sixteenths (1/16) of an inch. A dash 8 (-8) has an outside diameter of one-half inch (8/16).


FIGURE 1. Hose assembly, flareless tube configuration and dimensions - Continued.

# **REQUIREMENTS:**

Hose assemblies shall be as specified on figure 1.

The hose assembly identification shall be marked in accordance with MIL-DTL-8790.

Part or Identifying Number (PIN) example:



Example of a PIN: MS28762-80164, MS28762 hose assembly, .500 inch tube OD, 16.5 inches long.

For supersession data, see table I.

TABLE I.	Supersessio	n table.

Superseding PIN	Cancelled PIN	
MS28762-4XXXX	MS28762EXXXX	
MS28762-5XXXX	MS28762FXXXX	
MS28762-6XXXX	MS28762GXXXX	
MS28762-8XXXX	MS28762HXXXX	
MS28762-10XXXX	MS28762JXXXX	
MS28762-12XXXX	MS28762KXXXX	
MS28762-16XXXX	MS28762MXXXX	

### MS28762D w/AMENDMENT 2

Amendment notations. The margins of this specification are marked with vertical lines to indicate modifications generated by this amendment. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations.

Referenced documents. In addition to MIL-DTL-8790, this document references the following:

MIL-DTL-8788 MS28761

### CONCLUDING MATERIAL

Custodians: Army - AT Navy - AS Air Force - 99 DLA - CC Preparing activity: DLA - CC

(Project 4720-2014-003)

Review activities: Army - AV, MI Navy - SA Air Force - 71

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <a href="https://assist.dla.mil">https://assist.dla.mil</a>.