


THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-C-8605



REQUIREMENTS:

1. MATERIAL: SEE PROCUREMENT SPECIFICATION, EXCEPT AS NOTED.
2. FINISH: SEE PROCUREMENT SPECIFICATION.
3. DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS $\pm .010$, ANGLES $\pm 1^\circ$.
4. CAP MUST MATE WITH FLANGE MS24484-5.
5. CAP MUST HAVE DETENT LOCK TO PREVENT ACCIDENTAL DISCONNECTION FROM FLANGE. ROTATION TO LOCK $30^\circ \pm 5^\circ$ CLOCKWISE.
6. FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
7. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.
8. DIMENSIONS INDICATED BY "MAX" OR "MIN" ARE ENVELOPE DIMENSIONS.

* CERTAIN PROVISIONS OF THIS STANDARD ARE THE SUBJECT OF INTERNATIONAL STANDARDIZATION AGREEMENT STANAG NO. 3294. WHEN REVISION OR CANCELLATION OF THIS STANDARD IS PROPOSED, THE DEPARTMENTAL CUSTODIANS WILL INFORM THEIR RESPECTIVE DEPARTMENTAL STANDARDIZATION OFFICES SO THAT APPROPRIATE ACTION MAY BE TAKEN RESPECTING THE INTERNATIONAL AGREEMENTS CONCERNED.

REVISION LETTERS ARE NOT USED TO DENOTE CHANGES DUE TO THE EXTENSIVENESS OF THE CHANGES.

PREPARING ACTIVITY: NAVY-AS
CUSTODIANS: ARMY- AV NAVY-
 AIR FORCE- 11 DLA-

REVIEW:
USER:
PROJECT NUMBER: 1560-0186

MILITARY SPECIFICATION SHEET

TITLE
CAP-PRESSURE FUEL SERVICING,
NOMINAL 2 1/2 INCH DIAMETER,
FLUSH TYPE

SPECIFICATION SHEET NUMBER
MS29525F 15 JANUARY 1991

SUPERSEDING
MS29525 E

AMSC-N/A FSC 1560

DISTRIBUTION STATEMENT

SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.