

This standard has been approved by the NAVAL AIR SYSTEMS COMMAND  
Department of the Navy and is mandatory for use by  
the Department of the Navy. All other military activities are required  
to comply with standard when available.

ENGINE DRIVE PAD		DRIVE RATINGS			ACCESSORY			ACCESSORY ATTACHMENT DATA				ACCESSORY FLANGE DWG. NO.	DRIVE PAD COVER DWG. NO.
MS NO.	DASH NO.	MS3335 SPLINE PITCH DIA., IN.	NOMINAL SPEED, RPM	RATED TORQUE, LB. IN.	RATED POWER, HP	WEIGHT, LB.	STATIC OVERHUNG MOMENT, LB. IN.	ENGINE STUD SPACING AND SIZE	BOLT CIRCLE DIA., IN.	FLANGE CONFIGURATION	V-BAND CLAMPING FLANGE DIA., IN.		
MS3325	-1	0.4583	16,000	150	--	5	15	90° UNJF-3A	2.653	SQUARE	NONE	MS3330	AN100043
	-2	0.4583	4,200	15	--	5	15						
	-1	0.600	12,000	--	6	20	60						
	-2	0.600	12,000	--	12	35	150						
MS3326	-3	0.800	8,000	600	--	25	100	90°	5.000	SQUARE	NONE	MS3331	AN100036
	-4	0.800	16,000	300	--	25	100	.3125-24 UNJF-3A					
	-5S	0.600	3,300	750	--	20	80						
	-6S	0.600	3,300	1,500	--	35	150						
	-1	0.800	8,000	--	30	80	500						
	-2	0.800	12,000	--	30	50	300						
	-3	0.800	8,000	500	--	25	125	60°	5.000	ROUND	6.400	MS3332	MS9949
MS3327	-4	1.200	4,000	1,000	--	30	200	.375-24 UNJF-3A					
	-5	1.200	6,000	1,500	--	50	350						
	-6	1.200	4,000	1,500	--	75	625						
	-7S	0.800	3,300	1,800	--	70	450						
	-8S	1.200	3,300	4,000	--	80	625						
	-9S	1.200	3,300	7,200	--	80	700						
	-1	0.800	8,000	--	30	80	750						
	-2	0.800	12,000	--	30	100	1,200						
	-3	1.200	8,000	--	40	115	1,250						
	-4	1.200	8,000	--	65	150	2,000	45°	8.000	ROUND	9.400	MS3333	MS9949
MS3328	-5	0.800	8,000	--	30	65	350	.375-24 UNJF-3A					
	-6	0.800	12,000	--	30	50	250						
	-7	0.800	3,000	--	45	75	500						
	-8	1.625	4,000	4,000	--	125	600						
	-9	1.625	6,000	4,000	--	125	600						
	-10S	1.200	3,300	7,200	--	80	850						
	-11S	1.625	3,300	14,400	--	120	1,300						
	-1	1.200	8,000	--	60	135	1,700						
	-2	1.200	8,000	--	80	150	2,000						
	-3	1.625	8,000	--	120	175	2,500						
	-4	1.625	8,000	--	180	225	3,000						
	-5	1.625	8,000	--	240	275	3,600						
MS3329	-6	0.800	6,000	--	45	90	550	30° .375-24 UNJF-3A	10.000	ROUND	11.400	MS3334	MS9948
	-7	0.800	6,000	--	65	100	600						
	-8	1.200	6,000	--	95	125	750						
	-9	1.200	6,000	--	140	150	1,100						
	-10	1.200	6,000	--	200	175	1,500						
	-11	1.625	4,000	4,000	--	125	600						
	-12	2.000	4,000	9,000	--	200	1,200						

FED. SUP CLASS  
2005

APPROVED 4 June 1970 (REVISED)

P.A. NAVY - AS		TITLE		MILITARY STANDARD	
Other Code		ACCESSORY DRIVES, AIRCRAFT ENGINE, REFERENCE CHART FOR		MS3336(AS)	
PROCUREMENT SPECIFICATION		SUPERSEDES:		SHEET 1 OF 1	

DD FORM 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 17709





