



1. MATERIAL: ALUMINUM ALLOY CASTING.
2. FINISH: ANODIZE IN ACCORDANCE WITH MIL-A-8625, TYPE I, NONDYED.
3. SURFACE ROUGHNESS: ALL MACHINED SURFACES SHALL BE FINISHED PRIOR TO ANODIZING.
SURFACE CONDITION FINISH DESIGNATIONS SHALL BE IN ACCORDANCE WITH USASI B46.1 - 1962.
4. THREAD SHALL CONFORM TO HANDBOOK H28.
5. REMOVE ALL BURRS AND BREAK ALL SHARP EDGES.
6. DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCE: DECIMALS $\pm .015$.
DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH USASI Y14.5 - 1966.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

P.A. NAVY - AS		TITLE		MILITARY STANDARD	
Other Cust		BED PLATE		MS3356(AS)	
PROCUREMENT SPECIFICATION MIL-N-81604		SUPERSEDES:		SHEET 1 OF 1	