


Form approved
 UMB No. 0704-U186

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THE SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THE TITLE OF THE DOCS SPECIFIED IN THE SOLICITATION: MIL-J-26149



TRIPOD JACK

UNIPOD JACK

NOTES:

1. DIMENSIONS ARE IN INCHES.
2. THIS IS A DESIGN STANDARD AND CANNOT BE USED AS A PART NUMBER.
3. THIS STANDARD COMPLEMENTS AND IS A PART OF THE REQUIREMENT OF MIL-STD-809 AND MIL-J-26149.
4. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID.
5. CERTAIN PROVISIONS OF THIS STANDARD ARE SUBJECT TO INTERNATIONAL STANDARDIZATION AGREEMENT ASCC, AIR-STD 25.7 AND NATO STANAG 3098. WHEN A REVISION OR CANCELLATION OF THIS STANDARD IS PROPOSED WHICH WILL MODIFY THE INTERNATIONAL AGREEMENT CONCERNED, THE PREPARING ACTIVITY WILL TAKE APPROPRIATE ACTION THROUGH INTERNATIONAL STANDARDIZATION CHANNELS INCLUDING DEPARTMENTAL STANDARDIZATION OFFICES TO CHANGE THE AGREEMENT OR MAKE OTHER APPROPRIATE ACCOMMODATIONS.
6. THE HEAD OF EACH JACK LISTED HEREIN SHALL INTERFACE WITH THE APPROPRIATE ADAPTER PER MS33569.
7. SEE APPLICATION TABLES FOR AIRCRAFT JACKS, NAVAIR 19-70-46 OR MIL-HDBK-300.
8. WHEN THE WEIGHT OF THE TRIPOD JACK ASSEMBLY EXCEEDS 100 LBS (45 KG) THE ASSEMBLY SHALL BE EQUIPPED WITH ATTACHMENT FITTINGS SUITABLE FOR TOWING OR A TOW BAR.
9. ALL FUTURE MODEL DESIGNATIONS OF JACKS SHALL BE IN ACCORDANCE WITH MIL-STD-875.

(F) REVISED

PREPARING ACTIVITY: NAVY - AS
 CUSTODIANS: ARMY/AV NAVY-
 AIR FORCE/11 DLA-
 REVIEW: AIR FORCE - 99
 USER: NAVY - MC
 PROJECT NUMBER: 1730-0309

MILITARY SPECIFICATION SHEET
 TITLE: JACK, AIRCRAFT, AIRFRAME
 (UNIPOD AND TRIPOD)

SPECIFICATION SHEET NUMBER
MS33589F 24 MAR 1989
 SUPERSEDING
 MS33589E
 AMSC- N/A FSC: 1730

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited

Page 1 of 3

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-J-26149

FIXED HEIGHT TRIPOD JACK

NAVAL MODEL DESIGNATION	TYPE DESIGNATION (COMPANY MODEL NUMBER)	CAP TONS (KG)	A		B		C		D		K		L		M		HT COMP LBS (KG)	(CAGE) PART NO.	NSN 1730 -
			MIN COL HEIGHT IN(M)	HYD RISE IN(M)	SCREW EXT IN(M)	MAX BASIC HEIGHT IN(M)	LEES MAX WIDTH IN(M)	LEGS MIN WIDTH IN(M)	DIA OF FOOT IN(M)										
T3-1FH		3	16	23		39										110	(02708) 988-010	00-242-6786	
		(2,722)	(0.41)	(0.58)	---	(0.99)										(49.9)	(94861) 935AS100-1	00-391-7932	
		5	24	36	17	112										115			
T10-2FH	BSN	(4,536)	(0.61)	(0.93)		(2.84)										(52.2)	(12459) 0526-10	00-510-7853	
		10	24	36	4	64									275				
		(9,070)	(0.61)	(0.91)	(0.10)	(1.63)									(125.0)	(02708) 996-010	00-391-7935		
T12-1FH	(TYPE 128)	(1,228)	(0.71)	(1.14)		(0.08)	(1.93)										(12459) 1036-150	01-112-3987	
		10	36	44		80													
		(10,886)	(0.91)	(1.32)		(2.03)													
M99-135/E		12	14	23	8	43	27	23 1/2	23 1/2	4	243					(00994) CJ69J1270	00-201-4849		
		(10,886)	(0.36)	(.594)	(.152)	(1.09)	(0.68)	(0.89)	(0.10)	(110.0)						(48576)			
		12	14	23	8	43	27	23 1/2	23 1/2	4	243					939002FKP	01-009-5867		
T17-1FH	(20778)	15	148	77	24	249											(02708) 8685-010	01-043-0858	
		(13,606)	(3.76)	(1.96)	(0.61)	(6.32)													
		17	24	34	4	62													
T20-2FH	M99-107/E	(15,422)	(0.61)	(0.84)	(0.10)	(1.58)											(02708) 3961-010	00-391-7908	
		20	34.5	54	12	100.5	31.2	27	8	390									
		(18,140)	(0.88)	(1.37)	(0.30)	(2.55)	(0.79)	(0.68)	(0.20)	(176.9)									
T20-3FH	M99-107/E	20	40	34	7	76	43.3	37 1/2	9 1/2	425							(23808) OR (30003)	00-102-8441	
		(18,144)	(1.02)	(0.91)	(0.18)	(1.93)	(1.09)	(0.95)	(0.24)	(192.8)									
		20	82	52	18	132	48	41 1/2	9 1/2	900									
T25-1FH	(251430)	(22,680)	(0.36)	(0.60)	(0.16)	(1.10)											(00994) 270AS100-1	01-072-6738	
		25	14	23	5 3/4	43.4	29 1/2	25 1/2	4	300									
		(36,288)	(2.08)	(1.68)	(0.61)	(4.37)	(0.75)	(0.64)	(0.10)	(196.1)									
M99-107/E		40	148	55	12	215											(02708) 8519-010	00-244-5084	
		(36,288)	(3.76)	(1.40)	(0.30)	(5.46)													
		50	60	44	24	128													
M99-129/E	(8518)	(45,350)	(1.52)	(1.12)	(0.61)	(3.25)											(02708) 8811-010	01-044-7961	
		60	72	48	24	144													
		80	221	76	24	321													
(8517)		(54,432)	(5.61)	(1.93)	(0.61)	(6.15)												(02708) 8518-010	01-060-9575
		100	97	72	16	185													
		(90,700)	(2.46)	(1.83)	(0.41)	(4.70)													

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE

PREPARING ACTIVITY: NAVY - AS CUSTODIANS: ARMY-AV NAVY- AIR FORCE-11 DLA- REVIEW: AIR FORCE - 99 USER: NAVY - MC PROJECT NUMBER 1730-0309	MILITARY SPECIFICATION SHEET TITLE: JACK, AIRCRAFT, AIRFRAME (UNIPOD AND TRIPOD)	SPECIFICATION SHEET NUMBER MS33589F 24 MAR 1989 SUPERSEDING MS33589E AMSC- N/A FSC 1730
--	--	--

THE ELEMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THE SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ORDER OF THE DODSS SPECIFIED IN THE SOLICITATION: MIL-J-26149

APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE

Form approved OMB No. D704-0188

VARIABLE HEIGHT TRIPOD JACK

NAVAL MODEL DESIGNATION	TYPE DESIGNATION	CAP TONS (KG)	MIN COL HEIGHT IN (M)	HTD RISE IN (M)	SCREEN EXT IN (M)	MAX BASIC HEIGHT IN (M)	DIA OF FOOT	WT COMP LBS (KG)	CAGE PART NO	MSN 1730-	MAX HEIGHT										CAGE PART NO	MSN 1730-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
											1 EXT	2 EXT	3 EXT	4 EXT	5 EXT	6 EXT	7 EXT	8 EXT	9 EXT	10 EXT			11 EXT	12 EXT	13 EXT	14 EXT	15 EXT	16 EXT	17 EXT	18 EXT	19 EXT	20 EXT	21 EXT	22 EXT	23 EXT	24 EXT	25 EXT	26 EXT	27 EXT	28 EXT	29 EXT	30 EXT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
130-1198	9-4	10 (9,072)	13 (0.46)	15 (0.51)	18 (0.61)	20 (0.66)	24 (0.79)	27 (0.86)	27.3 (0.89)	28.7 (0.94)	30.4 (0.99)	32.1 (1.04)	33.8 (1.09)	35.5 (1.14)	37.2 (1.19)	38.9 (1.24)	40.6 (1.29)	42.3 (1.34)	44.0 (1.39)	45.7 (1.44)	47.4 (1.49)	49.1 (1.54)	50.8 (1.59)	52.5 (1.64)	54.2 (1.69)	55.9 (1.74)	57.6 (1.79)	59.3 (1.84)	61.0 (1.89)	62.7 (1.94)	64.4 (1.99)	66.1 (2.04)	67.8 (2.09)	69.5 (2.14)	71.2 (2.19)	72.9 (2.24)	74.6 (2.29)	76.3 (2.34)	78.0 (2.39)	79.7 (2.44)	81.4 (2.49)	83.1 (2.54)	84.8 (2.59)	86.5 (2.64)	88.2 (2.69)	89.9 (2.74)	91.6 (2.79)	93.3 (2.84)	95.0 (2.89)	96.7 (2.94)	98.4 (2.99)	100.1 (3.04)	101.8 (3.09)	103.5 (3.14)	105.2 (3.19)	106.9 (3.24)	108.6 (3.29)	110.3 (3.34)	112.0 (3.39)	113.7 (3.44)	115.4 (3.49)	117.1 (3.54)	118.8 (3.59)	120.5 (3.64)	122.2 (3.69)	123.9 (3.74)	125.6 (3.79)	127.3 (3.84)	129.0 (3.89)	130.7 (3.94)	132.4 (3.99)	134.1 (4.04)	135.8 (4.09)	137.5 (4.14)	139.2 (4.19)	140.9 (4.24)	142.6 (4.29)	144.3 (4.34)	146.0 (4.39)	147.7 (4.44)	149.4 (4.49)	151.1 (4.54)	152.8 (4.59)	154.5 (4.64)	156.2 (4.69)	157.9 (4.74)	159.6 (4.79)	161.3 (4.84)	163.0 (4.89)	164.7 (4.94)	166.4 (4.99)	168.1 (5.04)	169.8 (5.09)	171.5 (5.14)	173.2 (5.19)	174.9 (5.24)	176.6 (5.29)	178.3 (5.34)	180.0 (5.39)	181.7 (5.44)	183.4 (5.49)	185.1 (5.54)	186.8 (5.59)	188.5 (5.64)	190.2 (5.69)	191.9 (5.74)	193.6 (5.79)	195.3 (5.84)	197.0 (5.89)	198.7 (5.94)	200.4 (5.99)	202.1 (6.04)	203.8 (6.09)	205.5 (6.14)	207.2 (6.19)	208.9 (6.24)	210.6 (6.29)	212.3 (6.34)	214.0 (6.39)	215.7 (6.44)	217.4 (6.49)	219.1 (6.54)	220.8 (6.59)	222.5 (6.64)	224.2 (6.69)	225.9 (6.74)	227.6 (6.79)	229.3 (6.84)	231.0 (6.89)	232.7 (6.94)	234.4 (6.99)	236.1 (7.04)	237.8 (7.09)	239.5 (7.14)	241.2 (7.19)	242.9 (7.24)	244.6 (7.29)	246.3 (7.34)	248.0 (7.39)	249.7 (7.44)	251.4 (7.49)	253.1 (7.54)	254.8 (7.59)	256.5 (7.64)	258.2 (7.69)	259.9 (7.74)	261.6 (7.79)	263.3 (7.84)	265.0 (7.89)	266.7 (7.94)	268.4 (7.99)	270.1 (8.04)	271.8 (8.09)	273.5 (8.14)	275.2 (8.19)	276.9 (8.24)	278.6 (8.29)	280.3 (8.34)	282.0 (8.39)	283.7 (8.44)	285.4 (8.49)	287.1 (8.54)	288.8 (8.59)	290.5 (8.64)	292.2 (8.69)	293.9 (8.74)	295.6 (8.79)	297.3 (8.84)	299.0 (8.89)	300.7 (8.94)	302.4 (8.99)	304.1 (9.04)	305.8 (9.09)	307.5 (9.14)	309.2 (9.19)	310.9 (9.24)	312.6 (9.29)	314.3 (9.34)	316.0 (9.39)	317.7 (9.44)	319.4 (9.49)	321.1 (9.54)	322.8 (9.59)	324.5 (9.64)	326.2 (9.69)	327.9 (9.74)	329.6 (9.79)	331.3 (9.84)	333.0 (9.89)	334.7 (9.94)	336.4 (9.99)	338.1 (10.04)	339.8 (10.09)	341.5 (10.14)	343.2 (10.19)	344.9 (10.24)	346.6 (10.29)	348.3 (10.34)	350.0 (10.39)	351.7 (10.44)	353.4 (10.49)	355.1 (10.54)	356.8 (10.59)	358.5 (10.64)	360.2 (10.69)	361.9 (10.74)	363.6 (10.79)	365.3 (10.84)	367.0 (10.89)	368.7 (10.94)	370.4 (10.99)	372.1 (11.04)	373.8 (11.09)	375.5 (11.14)	377.2 (11.19)	378.9 (11.24)	380.6 (11.29)	382.3 (11.34)	384.0 (11.39)	385.7 (11.44)	387.4 (11.49)	389.1 (11.54)	390.8 (11.59)	392.5 (11.64)	394.2 (11.69)	395.9 (11.74)	397.6 (11.79)	399.3 (11.84)	401.0 (11.89)	402.7 (11.94)	404.4 (11.99)	406.1 (12.04)	407.8 (12.09)	409.5 (12.14)	411.2 (12.19)	412.9 (12.24)	414.6 (12.29)	416.3 (12.34)	418.0 (12.39)	419.7 (12.44)	421.4 (12.49)	423.1 (12.54)	424.8 (12.59)	426.5 (12.64)	428.2 (12.69)	429.9 (12.74)	431.6 (12.79)	433.3 (12.84)	435.0 (12.89)	436.7 (12.94)	438.4 (12.99)	440.1 (13.04)	441.8 (13.09)	443.5 (13.14)	445.2 (13.19)	446.9 (13.24)	448.6 (13.29)	450.3 (13.34)	452.0 (13.39)	453.7 (13.44)	455.4 (13.49)	457.1 (13.54)	458.8 (13.59)	460.5 (13.64)	462.2 (13.69)	463.9 (13.74)	465.6 (13.79)	467.3 (13.84)	469.0 (13.89)	470.7 (13.94)	472.4 (13.99)	474.1 (14.04)	475.8 (14.09)	477.5 (14.14)	479.2 (14.19)	480.9 (14.24)	482.6 (14.29)	484.3 (14.34)	486.0 (14.39)	487.7 (14.44)	489.4 (14.49)	491.1 (14.54)	492.8 (14.59)	494.5 (14.64)	496.2 (14.69)	497.9 (14.74)	499.6 (14.79)	501.3 (14.84)	503.0 (14.89)	504.7 (14.94)	506.4 (14.99)	508.1 (15.04)	509.8 (15.09)	511.5 (15.14)	513.2 (15.19)	514.9 (15.24)	516.6 (15.29)	518.3 (15.34)	520.0 (15.39)	521.7 (15.44)	523.4 (15.49)	525.1 (15.54)	526.8 (15.59)	528.5 (15.64)	530.2 (15.69)	531.9 (15.74)	533.6 (15.79)	535.3 (15.84)	537.0 (15.89)	538.7 (15.94)	540.4 (15.99)	542.1 (16.04)	543.8 (16.09)	545.5 (16.14)	547.2 (16.19)	548.9 (16.24)	550.6 (16.29)	552.3 (16.34)	554.0 (16.39)	555.7 (16.44)	557.4 (16.49)	559.1 (16.54)	560.8 (16.59)	562.5 (16.64)	564.2 (16.69)	565.9 (16.74)	567.6 (16.79)	569.3 (16.84)	571.0 (16.89)	572.7 (16.94)	574.4 (16.99)	576.1 (17.04)	577.8 (17.09)	579.5 (17.14)	581.2 (17.19)	582.9 (17.24)	584.6 (17.29)	586.3 (17.34)	588.0 (17.39)	589.7 (17.44)	591.4 (17.49)	593.1 (17.54)	594.8 (17.59)	596.5 (17.64)	598.2 (17.69)	599.9 (17.74)	601.6 (17.79)	603.3 (17.84)	605.0 (17.89)	606.7 (17.94)	608.4 (17.99)	610.1 (18.04)	611.8 (18.09)	613.5 (18.14)	615.2 (18.19)	616.9 (18.24)	618.6 (18.29)	620.3 (18.34)	622.0 (18.39)	623.7 (18.44)	625.4 (18.49)	627.1 (18.54)	628.8 (18.59)	630.5 (18.64)	632.2 (18.69)	633.9 (18.74)	635.6 (18.79)	637.3 (18.84)	639.0 (18.89)	640.7 (18.94)	642.4 (18.99)	644.1 (19.04)	645.8 (19.09)	647.5 (19.14)	649.2 (19.19)	650.9 (19.24)	652.6 (19.29)	654.3 (19.34)	656.0 (19.39)	657.7 (19.44)	659.4 (19.49)	661.1 (19.54)	662.8 (19.59)	664.5 (19.64)	666.2 (19.69)	667.9 (19.74)	669.6 (19.79)	671.3 (19.84)	673.0 (19.89)	674.7 (19.94)	676.4 (19.99)	678.1 (20.04)	679.8 (20.09)	681.5 (20.14)	683.2 (20.19)	684.9 (20.24)	686.6 (20.29)	688.3 (20.34)	690.0 (20.39)	691.7 (20.44)	693.4 (20.49)	695.1 (20.54)	696.8 (20.59)	698.5 (20.64)	700.2 (20.69)	701.9 (20.74)	703.6 (20.79)	705.3 (20.84)	707.0 (20.89)	708.7 (20.94)	710.4 (20.99)	712.1 (21.04)	713.8 (21.09)	715.5 (21.14)	717.2 (21.19)	718.9 (21.24)	720.6 (21.29)	722.3 (21.34)	724.0 (21.39)	725.7 (21.44)	727.4 (21.49)	729.1 (21.54)	730.8 (21.59)	732.5 (21.64)	734.2 (21.69)	735.9 (21.74)	737.6 (21.79)	739.3 (21.84)	741.0 (21.89)	742.7 (21.94)	744.4 (21.99)	746.1 (22.04)	747.8 (22.09)	749.5 (22.14)	751.2 (22.19)	752.9 (22.24)	754.6 (22.29)	756.3 (22.34)	758.0 (22.39)	759.7 (22.44)	761.4 (22.49)	763.1 (22.54)	764.8 (22.59)	766.5 (22.64)	768.2 (22.69)	769.9 (22.74)	771.6 (22.79)	773.3 (22.84)	775.0 (22.89)	776.7 (22.94)	778.4 (22.99)	780.1 (23.04)	781.8 (23.09)	783.5 (23.14)	785.2 (23.19)	786.9 (23.24)	788.6 (23.29)	790.3 (23.34)	792.0 (23.39)	793.7 (23.44)	795.4 (23.49)	797.1 (23.54)	798.8 (23.59)	800.5 (23.64)	802.2 (23.69)	803.9 (23.74)	805.6 (23.79)	807.3 (23.84)	809.0 (23.89)	810.7 (23.94)	812.4 (23.99)	814.1 (24.04)	815.8 (24.09)	817.5 (24.14)	819.2 (24.19)	820.9 (24.24)	822.6 (24.29)	824.3 (24.34)	826.0 (24.39)	827.7 (24.44)	829.4 (24.49)	831.1 (24.54)	832.8 (24.59)	834.5 (24.64)	836.2 (24.69)	837.9 (24.74)	839.6 (24.79)	841.3 (24.84)	843.0 (24.89)	844.7 (24.94)	846.4 (24.99)	848.1 (25.04)	849.8 (25.09)	851.5 (25.14)	853.2 (25.19)	854.9 (25.24)	856.6 (25.29)	858.3 (25.34)	860.0 (25.39)	861.7 (25.44)	863.4 (25.49)	865.1 (25.54)	866.8 (25.59)	868.5 (25.64)	870.2 (25.69)	871.9 (25.74)	873.6 (25.79)	875.3 (25.84)	877.0 (25.89)	878.7 (25.94)	880.4 (25.99)	882.1 (26.04)	883.8 (26.09)	885.5 (26.14)	887.2 (26.19)	888.9 (26.24)	890.6 (26.29)	892.3 (26.34)	894.0 (26.39)	895.7 (26.44)	897.4 (26.49)	899.1 (26.54)	900.8 (26.59)	902.5 (26.64)	904.2 (26.69)	905.9 (26.74)	907.6 (26.79)	909.3 (26.84)	911.0 (26.89)	912.7 (26.94)	914.4 (26.99)	916.1 (27.04)	917.8 (27.09)	919.5 (27.14)	921.2 (27.19)	922.9 (27.24)	924.6 (27.29)	926.3 (27.34)	928.0 (27.39)	929.7 (27.44)	931.4 (27.49)	933.1 (27.54)	934.8 (27.59)	936.5 (27.64)	938.2 (27.69)	939.9 (27.74)	941.6 (27.79)	943.3 (27.84)	945.0 (27.89)	946.7 (27.94)	948.4 (27.99)	950.1 (28.04)	951.8 (28.09)	953.5 (28.14)	955.2 (28.19)	956.9 (28.24)	958.6 (28.29)	960.3 (28.34)	962.0 (28.39)	963.7 (28.44)	965.4 (28.49)	967.1 (28.54)	968.8 (28.59)	970.5 (28.64)	972.2 (28.69)	973.9 (28.74)	975.6 (28.79)	977.3 (28.84)	979.0 (28.89)	980.7 (28.94)	982.4 (28.99)	984.1 (29.04)	985.8 (29.09)	987.5 (29.14)	989.2 (29.19)	990.9 (29.24)	992.6 (29.29)	994.3 (29.34)	996.0 (29.39)	997.7 (29.44)	999.4 (29.49)	1001.1 (29.54)	1002.8 (29.59)	1004.5 (29.64)	1006.2 (29.69)	1007.9 (29.74)	1009.6 (29.79)	1011.3 (29.84)	1013.0 (29.89)	1014.7 (29.94)	1016.4 (29.99)	1018.1 (30.04)	1019.8 (30.09)	1021.5 (30.14)	1023.2 (30.19)	1024.9 (30.24)	1026.6 (30.29)	1028.3 (30.34)	1030.0 (30.39)	1031.7 (30.44)	1033.4 (30.49)	1035.1 (30.54)	1036.8 (30.59)	1038.5 (30.64)	1040.2 (30.69)	1041.9 (30.74)	1043.6 (30.79)	1045.3 (30.84)	1047.0 (30.89)	1048.7 (30.94)	1050.4 (30.99)	1052.1 (31.04)	1053.8 (31.09)	1055.5 (31.14)	1057.2 (31.19)	1058.9 (31.24)	1060.6 (31.29)	1062.3 (31.34)	1064.0 (31.39)	1065.7 (31.44)	1067.4 (31.49)	1069.1 (31.54)	1070.8 (31.59)	1072.5 (31.64)	1074.2 (31.69)	1075.9 (31.74)	1077.6 (31.79)	1079.3 (31.84)	1081.0 (31.89)	1082.7 (31.94)	1084.4 (31.99)	1086.1 (32.04)	1087.8 (32.09)	1089.5 (32.14)	1091.2 (32.19)	1092.9 (32.24)	1094.6 (32.29)	1096.3 (32.34)	1098.0 (32.39)	1099.7 (32.44)	1101.4 (32.49)	1103.1 (32.54)	1104.8 (32.59)	1106.5 (32.64)	1108.2 (32.69)	1109.9 (32.74)	1111.6 (32.79)	1113.3 (32.84)	1115.0 (32.89)	1116.7 (32.94)	1118.4 (32.99)	1120.1 (33.04)	1121.8 (33.09)	1123.5 (33.14)	1125.2 (33.19)	1126.9 (33.24)	1128.6 (33.29)	1130.3 (33.34)	1132.0 (33.39)	1133.7 (33.44)	1135.4 (33.49)	1137.1 (33.54)	1138.8 (33.59)	1140.5 (33.64)	1142.2 (33.69)	1143.9 (33.74)	1145.6 (33.79)	1147.3 (33.84)	1149.0 (33.89)	1150.7 (33.94)	1152.4 (33.99)	1154.1 (34.04)	1155.8 (34.09)	1157.5 (34.14)	1159.2 (34.19)	1160.9 (34.24)	1162.6 (34.29)	1164.3 (34.34)	1166.0 (34.39)	1167.7 (34.44)	1169.4 (34.49)	1171.1 (34.54)	1172.8 (34.59)	1174.5 (34.64)	1176.2 (34.69)	1177.9 (34.74)	1179.6 (34.79)	1181.3 (34.84)	1183.0 (3