

TABLE 1. DASH NUMBERS AND DIMENSIONS

DASH NUMBER	DIMENSIONS			MATERIAL
	A LENGTH	ØB	C COUNTERSINK	
1	1 3/8	.204	82° TO 3/8 + 1/64 DIA	BRASS
2	1 3/8	.204	NONE	
3	1 3/8	.180	82° TO 21/64 + 1/64 DIA	
4	1 3/8	.180	NONE	
5	1 1/4	.204	82° TO 3/8 + 1/64 DIA	
6	1 1/4	.204	NONE	
7	1 1/4	.180	82° TO 21/64 + 1/64 DIA	
8	1 1/4	.180	NONE	
9	1 1/8	.204	82° TO 3/8 + 1/64 DIA	
10	1 1/8	.204	NONE	
11	1 1/8	.180	82° TO 21/64 + 1/64 DIA	
12	1 1/8	.180	NONE	
13	1 3/8	.204	82° TO 3/8 + 1/64 DIA	STEEL
14	1 3/8	.204	NONE	
15	1 3/8	.180	82° TO 21/64 + 1/64 DIA	
16	1 3/8	.180	NONE	
17	1 1/4	.204	82° TO 3/8 + 1/64 DIA	
18	1 1/4	.204	NONE	
19	1 1/4	.180	82° TO 21/64 + 1/64 DIA	
20	1 1/4	.180	NONE	
21	1 1/8	.204	82° TO 3/8 + 1/64 DIA	
22	1 1/8	.204	NONE	
23	1 1/8	.180	82° TO 21/64 + 1/64 DIA	
24	1 1/8	.180	NONE	

(B) ENTIRE STANDARD REVISED

INCH - POUND

PREPARING ACTIVITY: ARMY-ER

CUSTODIANS: ARMY-ER NAVY- YD

AIR FORCE- 99 DIA-

REVIEW: 82.85JS

USER: CR

PROJECT NUMBER: 5340-2076

DISTRIBUTION STATEMENT

MILITARY SPECIFICATION SHEET

TITLE

BRACE, CORNER, BOX, LARGE,
2 QUARTER-ELLIPSE FLANGES,
2 MOUNTING HOLES

SPECIFICATION SHEET NUMBER

MS35257B- 4 SEP 92

SUPERSEDING
MS35257A

2 NOV 87

AMSC-

N/A

FSC- 5340

A. Approved for public release; distribution is unlimited.

Page 1 of 2

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: NONE

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

REQUIREMENTS:

1. MATERIAL:

BRASS, IN ACCORDANCE WITH ASTM B121, H02 (HALF-HARD).

STEEL, IN ACCORDANCE WITH QQ-S-698, COLD ROLLED, COMMERCIAL QUALITY, NO. 2 TEMPER, NO. 1 FINISH.

2. FINISH:


BRASS, PLAIN.

STEEL, ZINC PLATED IN ACCORDANCE WITH ASTM B633, TYPE IV, SC3, OR CADMIUM PLATED IN ACCORDANCE WITH QQ-P-416, TYPE III, CLASS 1.

3. TOLERANCE: TOLERANCES ON FRACTIONS $\pm 1/64$, ON DECIMALS $\pm .005$, ON ANGLES $\pm 1^\circ$, UNLESS OTHERWISE SPECIFIED.

4. PART NUMBER: THE PART NUMBER CONSISTS OF THE BASIC SPECIFICATION SHEET NUMBER PLUS THE DASH NUMBER.

EXAMPLE: MS35257-1



NOTES:

1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.
2. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
3. REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: NONE

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

PREPARING ACTIVITY: ARMY-ER CUSTODIANS: ARMY-ER NAVY-YD AIR FORCE-99 DLA- REVIEW: B285JS USER: CR PROJECT NUMBER: 5340-2076	MILITARY SPECIFICATION SHEET TITLE BRACE, CORNER, BOX, LARGE, 2 QUARTER-ELLIPSE FLANGES, 2 MOUNTING HOLES	SPECIFICATION SHEET NUMBER MS35257B- 4 SEP 92 SUPERSEDING MS35257A 2-NOV 67 AMSC- N/A FSC- 5340
DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited.		Page <u>2</u> of <u>2</u>

DD Form 672, MAY 88

PREVIOUS EDITIONS ARE OBSOLETE

GPO: 1989-808-846