


FED. SPEC CLASS
5940

User Activities
NAVY-AS, MC
AIR FORCE- II

Reviewer Activities
ARMY-MI, AV
AIR FORCE- 99
DSC- GS



DASH NO	WIRE SIZE AWG NOM	STUD SIZE	A HOLE DIA		B DIA	C DIA	D	E		
			MIN	MAX						
12	12	2	.090	.096	.046	.187	.328	.187		
13					.072	.234	.500	.312		
14					.250	.516	.312			
15		2	.090	.096	.094	.312	.625	.375		
1							.625	.375		
2		4	.115	.127			.875	.625		
3							.625	.375		
4		6	.141	.153			.875	.625		
5							.625	.375		
6		8	.167	.179			.875	.625		
7							.625	.375		
8		10	.193	.205			.875	.625		
9							.250	.253	.265	.375
10		10	.312	.313			.322	.130	.469	.875
11	16	.312	.313	.322			.062	.469	.875	.500

SEE PAGE 2 FOR SUPERSESION DATA

⑥ DENOTES CHANGES

DISTRIBUTION STATEMENT A: Approved for public release, distribution is unlimited. This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document., when applicable

9.4 AR Other Code 85	INTERNATIONAL INTEREST	TITLE TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, FLAT	MILITARY STANDARD MS 35431
PROCUREMENT SPECIFICATION MIL-T-15659	SUPERSEDED	PAGE 1	OF 2

User Activities
NAVY-AS, MC
AIR FORCE- II

Reviewer Activities
ARMY-MI, AV
AIR FORCE- 99
DSC- GS

This military standard is approved for use by all Departments
And Agencies of the Department of Defense. Selection for all new
engineering and design applications and for repetitive use shall
be made from this document, when applicable.

FED. SUP CLASS
5940

SUPERSESSSION DATA

MS PART NO	FORMER MS PART NO
MS 35431-12	MS 35431-1A REV D/E
MS 35431-13	MS 35431-1B REV D/E
MS 35431-14	MS 35431-1A REV F
MS 35431-15	MS 35431-1B REV F

Ⓔ

MATERIAL COPPER, ANNEALED- SPECIFICATION QQ-C-576
FINISH HOT TIN DIP OR ELECTRODEPOSIT TIN ALL OVER,
MINIMUM THICKNESS 0005 INCHES

NOTES:-

- 1 DIMENSIONS ARE IN INCHES
- 2 UNLESS OTHERWISE SPECIFIED, TOLERANCE IS \pm 0.15.
- 3 REMOVE ALL BURRS.
- 4 THE MS PART NUMBER CONSIST OF THE MS NUMBER PLUS THE DASH NUMBER
- 5 DASH NO. 9 SHALL CONFORM TO THIS DESIGN
- 6 IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD TAKES PRECEDENCE
- 7 REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN

Ⓔ DENOTES CHANGES

P A Other Cust AR 85	INTERNATIONAL INTEREST	TITLE TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, FLAT	MILITARY STANDARD MS 35431
PROCUREMENT SPECIFICATION MIL-T-15659		SUPERSEDES:	PAGE 2 OF 2

DD FORM 1 MAY 71 672-1

(COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

5940-B034

APPROVED 5 JULY 1955 REVISED Ⓔ FOR CHANGES SEE PAGES 1 AND 2