


This document is a technical specification for a terminal lug solder type, copper stamping, one hole flat slitted. It is intended for use in the procurement of this item. The Department of Defense hereby incurs no responsibility for any errors or omissions in this document, and the fact that the Department may have furnished or in any way supplied the said drawings, specifications, or other data is not to be regarded as an endorsement, approval, or other official action of the Department. The Department also makes no warranty, expressed or implied, with respect to the accuracy or completeness of the information contained herein. The Department reserves the right to change this specification at any time without notice.

This document has been promulgated by the Department of Defense as the military standard to limit the selection of the item, product or design covered herein in engineering, design and procurement. This standard shall become effective not later than 90 days after the latest date of approval shown.

FED SUP CLASS  
**5940**



DASH NO	FINN	WIRE SIZE AVG NOM	STUD SIZE	A		B	C	D	E	F	G	H ±.003	K	L	M
				HOLE DIA MIN	HOLE DIA MAX										
1	MS-9371	6	6	.141	.153	5/32	5/16	1-1/8	1/8	15/16	5/16	.032	3/8	1/8	7/32

- MATERIAL:** COPPER, ANNEALED - SPECIFICATION QQ-C-576.
- FINISH:** HOT TIN DIP OR ELECTRODEPOSITED TIN ALL OVER, MINIMUM THICKNESS .0006 INCHES.
- NOTES:**
1. ALL DIMENSIONS IN INCHES. TOLERANCES: FRACTIONAL ± 1/64 UNLESS OTHERWISE SPECIFIED.
  2. REMOVE ALL BURRS.
  3. REFERENCED DOCUMENTS OF ISSUE IN EFFECT ON DATE OF INVITATION FOR BIDS SHALL APPLY.
  4. THE MS PART NUMBER CONSISTS OF THE MS NUMBER PLUS THE DASH NUMBER.

APPROVED 5 JULY 55 REVISED A 23 JULY 56

CUSTOMERS ORD SHIPS UNAP	OTHER INT. A-SAG T E B-A OR Y N-	<b>MILITARY STANDARD</b> <b>TERMINAL LUG SOLDER TYPE,</b> <b>COPPER STAMPING, ONE HOLE, FLAT SLITTED.</b>		<b>MS 35432</b>
		SPECIFICATION <b>MIL-T-15659</b>		