


FED. SUP CLASS
8120



REVIEW ACTIVITIES MU
USER ACTIVITIES MI, YD, MC

DASH NO.	CAPACITY POUNDS	OUTSIDE DIMENSIONS	
		D INCHES	H INCHES
-2	20	6-3/4	
-4	50		

WATER CAPACITY CU. IN.	SERVICE PRESSURE PSI
855	2015
2320	2015

(B) CANCELED AFTER 14 OCTOBER 1981
FOR FUTURE PROCUREMENT USE
RR-C-901/2

THIS MILITARY STANDARD IS MANDATORY FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE. SELECTION FOR ALL NEW ENGINEERING AND DESIGN APPLICATIONS AND FOR REPETITIVE USE SHALL BE MADE FROM THIS DOCUMENT.

NOTES:

1. DIMENSION TOLERANCE: D ± 1/4 INCH, H ± 2-INCH.
2. THE MS PART NUMBER SHALL CONSIST OF THE MS SHEET NUMBER PLUS THE DASH NUMBER.
3. FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
4. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.
5. CYLINDERS FOR FIRE EXTINGUISHER SERVICE NO. 1, 3, AND 5 HAVE BEEN INCORPORATED IN THE CORRESPONDING FIRE EXTINGUISHER SPECIFICATION.

(A) ENTIRE STANDARD REVISED

P.A. ARMY-ME. Other Cust NAVY-SH A. F.-68	TITLE	MILITARY STANDARD
	CYLINDER, COMPRESSED GAS: CARBON DIOXIDE, DOT SPECIFICATION 3AA 2015	MS 39225
PROCUREMENT SPECIFICATIONS: RR-C-901	SUPERSEDES:	SHEET OF

DD FORM 672-1 (1 SEP 57)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

APPROVED 16 APRIL 1963 REVISED (A) 4 FEBRUARY 1969 (B) 14 October 1981