



FED SUP CLASS
5315

A (BARBED)



B (RING)



C (SCREW)

SHANK STYLES


TABLE 1. DASH NUMBERS AND DIMENSIONS

FINE NAILS				
DASH NUMBERS		$\pm \text{ØD}$ ± .002	$\pm \text{ØH}$ ± .017	L
STEEL	COPPER			
-1	-11	.0475	.172	1 1/2 ± 1/16
-2	-12	.054	.172	7/8 ± 1/32
-3	-13	.0625	.172	3/4 ± 1/32
-4	-14	.072	.172	1 1/8 ± 1/16

REQUIREMENTS:

1. MATERIAL. NAIL, TYPE II, STYLE 13, SHALL BE MANUFACTURED FROM STEEL WIRE OR COPPER IN ACCORDANCE WITH PROCUREMENT SPECIFICATION.
2. CHARACTERISTICS. NAIL SHALL HAVE FLAT HEAD, DIAMOND POINT, BARBED, RING, SCREW OR SMOOTH ROUND SHANK, BRIGHT FINISH (SEE NOTE 2), IN ACCORDANCE WITH PROCUREMENT SPECIFICATION.
3. SHANK DIAMETERS. TOLERANCES ON SHANK DIAMETERS SHALL BE + .004 INCH FOR DIAMETERS .076 AND LARGER, AND +.002 INCH FOR DIAMETERS SMALLER THAN .076 INCH. DIAMETERS OF POINTED NAILS SHALL BE MEASURED DIRECTLY BELOW THE GRIPPER MARKS. DIAMETERS OF MECHANICALLY DEFORMED SHANKS SHALL BE MEASURED BEFORE DEFORMATION.
4. LENGTHS. TOLERANCES ON LENGTHS SHALL BE ± 1/32 INCH FOR LENGTHS UP TO AND INCLUDING 1 INCH, ± 1/16 INCH FOR LENGTHS OVER 1 INCH UP TO AND INCLUDING 2 1/2 INCHES; ± 3/32 INCH FOR LENGTHS OVER 2 1/2 INCHES UP TO AND INCLUDING 7 INCHES AND ± 1/8 INCH FOR LENGTHS OVER 7 INCHES.
5. HEAD DIAMETERS. THE DIFFERENCE IN DIAMETER ACROSS THE LONG AXIS SHALL NOT EXCEED THAT ACROSS THE SHORT AXIS BY MORE THAN 10 PERCENT. A FILLET SHALL BE PROVIDED UNDER THE HEAD, AN ANGLE OR RADIUS WILL BE ACCEPTABLE. HEADS SHALL BE WELL CENTERED.
6. PART NUMBER. THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER FOLLOWED BY A DASH NUMBER FROM TABLE 1 AND A SHANK STYLE CODE IDENTIFIER.

EXAMPLE: MS51545-13B



DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited.
This military standard is approved for use by all Departments and Agencies of the Department of Defense.
Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

P A Other Cost ARMY-AR NAVY-YD AIR FORCE-99	INTERNATIONAL INTEREST	TITLE NAIL,FINE	MILITARY STANDARD MS51545
PROCUREMENT SPECIFICATION FF-N-105	SUPERSEDES:	PAGE 1 OF 2	

USER ACTIVITIES
ARMY-AV,CE,ME,MI
NAVY-MC

REVIEWER ACTIVITIES: CIVIL AGENCIES COORDINATING ACTIVITIES.
GSA-FSS
ARMY-GL
NAVY-SA

FED SUP CLASS
5315

NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. BRIGHT FINISH IS A TERM APPLIED TO NAILS WITH NATURAL BARE FINISH RESULTING FROM CLEANING OF NAILS WHICH HAVE NOT UNDERGONE TREATMENTS AFFECTING FINISH SUCH AS HARDENING, BLUEING, COATING, PLATING, ETCHING AND PAINTING.
3. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
4. REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.

USER ACTIVITIES:
ARMY-AV,CE,ME,MI
NAVY-MC

REVIEWER ACTIVITIES-CIVIL AGENCIES COORDINATING ACTIVITIES:
ARMY-GL
GSA-FSS
NAVY-SA

Approved for use by all Departments and Agencies of the Department of Defense.
Engineering and design applications and for repetitive use shall be made from this

APPROVED 28 OCT 86 REVISED

P. A. Other Cost ARMY-AR NAVY-YD AIR FORCE-99	INTERNATIONAL INTEREST	TITLE NAIL,FINE	MILITARY STANDARD
			MS51545
REQUIREMENT SPECIFICATION FF-N-105	SUPERSEDED	PAGE 2 OF 2	

DD FORM 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

5315-0402