


PER. SUP. CLASS  
1240

Reviewer Activities:  
ARMY - AT



MATERIAL: VALVE STEM: CORROSION RESISTING STEEL, 300 SERIES AISI FEDERAL STANDARD NO. 66 PASSIVATED SPECIFICATION QQ-P-35  
FILTER: BRONZE MESH, .240 Ø .062 THICK HAVING A STOPPAGE SIZE FROM 40 TO 50 MICRONS.

- NOTES:
- 1- DIMENSIONS ARE IN INCHES.
  - 2- UNLESS OTHERWISE SPECIFIED, TOLERANCE IS  $\pm .005$ .
  - 3- VALVE STEM TO ACCOMMODATE SHORT VALVE CORE, TYPE V, CLASS 2 (TR C1, SHORT CORE), PER ZZ-V-25.
  - 4- THE MS PART NUMBER CONSISTS OF THE MS NUMBER PLUS THE DASH NUMBER.
  - 5- IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
  - 6- REFERENCED GOVERNMENT (OR NONGOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DOISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.

(B) ENTIRE STANDARD REVISED

MS PART NO.  
MS 51607 - 1

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited. This military standard is approved for use by ARDC, Department of the Army, and is approved for use by all Departments and agencies of the Department of Defense.

F.A.A.R. Other Code	INTERNATIONAL INTEREST	TITLE VALVE STEM, PURGING (WITH FILTER)	MILITARY STANDARD MS 51607 (AR)
PROCUREMENT SPECIFICATION NONE	REPLACES 8201752	SHEET 1	OF 1

APPROVED 15 APRIL 1966 REVISED (B) 4 JANUARY 1988