


FED SUP CLASS
5340REVIEWER: IS, YD, 69, MC
USER: EL, MC

DASH NUMBER	THINWALL (EMT)	A +.000 -.062	B SEE NOTE (6)	C ±.125	D ±.062	E ±.125	HOLE SIZE +.031 -.015	T1 2.041	T2 2.041
1	1/2	21/32	.706	3/4	13/16	1-3/4	9/32	5/64	7/32
2	3/4	29/32	.922	3/4	1	2-1/8	9/32	5/64	9/32
3	1	1-5/32	1.161	7/8	1-5/16	2-5/8	9/32	5/32	11/32
4	1-1/4	1-3/2	1.535	7/8	1-5/8	3-1/4	9/32	5/32	11/32
5	1-1/2	1-3/4	1.740	1-1/8	1-11/16	3-3/4	13/32	1/8	1/2
6	2	2-1/8	2.197	1-1/2	1-15/16	4-1/8	13/32	1/8	17/32

(A) **MATERIAL:** Steel, Carbon, sheet and strip specification QQ-S-695, or forging steel specification MIL-S-13048. Iron castings, malleable, specification QQ-I-666.

(A) **PROTECTIVE COATING:** Cadmium plated (Electrodeposited) specification QQ-P-416, Class 1, Type II, or zinc coated (Electrodeposited) specification QQ-Z-325, Class 2, Type II.

DIMENSIONS: All dimensions are in inches unless otherwise specified.

PART NUMBER: The MS part number consists of the MS number, plus the dash number. Example: MS51956-1.

NOTES: (1) For design feature purposes, this standard takes precedence over procurement documents referenced herein.
(2) Referenced documents shall be of the issue in effect on the date of invitations for bid.
(3) The hole shall be located from a side one half of dimension C.
(4) Elongation of the hole is optional.
(5) Strap shall be free of sharp edges.
(6) Dimension B, Tolerances: +.000 for a steel strap; +.062 for a malleable strap.
(7) Strap corresponds to Type I, style A and P, thinwall (EMT), of the procurement specification.

(A) For changes see sheet 1.

P.A. Other Cust WC YD 69	TITLE STRAP, RETAINING, ONE HOLE, FOR THIN WALL CONDUIT (EMT)	MILITARY STANDARD MS 51956
PROCUREMENT SPECIFICATION (A) FF-S-760	SUPERSEDES:	SHEET 1 OF 1

DD FORM 672-1 (Coordinated)

This military standard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 31 MARCH 1964 REVISED 22 MAR 1966