

USER ACTIVITIES:

REVIEWER ACTIVITIES:
AIR FORCE - 84
DLA - IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.


FED. SUP CLASS
9535


TABLE I. DASH NUMBERS.

DASH NO	A	B	C	TEMPER
001	.250	18	120	ANNEALED
003	.375	18	120	ANNEALED
005	.500	14	120	ANNEALED
007	1.000	14	120	ANNEALED

REQUIREMENTS:

1. MATERIAL. COPPER BASE ALLOY 230 (UNS C23000), AS SPECIFIED IN PROCUREMENT DOCUMENT.
2. FORMING PROCESS. ROLLED - CODE "R".
3. PART NUMBER. THE PART NUMBER CONSISTS OF THE BASIC MS NUMBER, PLUS A FORMING PROCESS CODE, PLUS A DASH NUMBER FROM TABLE I.

EXAMPLE: MS52032R001



4. MARKING. COPPER AND COPPER BASE ALLOYS SHALL BE MARKED IN ACCORDANCE WITH FED-STD-185 WITH THE EXCEPTION THAT A PART NUMBER FROM THIS MILITARY STANDARD SHALL BE INCLUDED AS PART OF THE IDENTIFICATION MARKING.

NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS, OR REQUEST FOR PROPOSAL, EXCEPT THE REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.
3. FOR DESIGN FEATURE PURPOSES THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

APPROVED
REVISED

P.A. Other Cust	MR SH 99	INTERNATIONAL INTEREST	TITLE PLATE, METAL, COPPER BASE ALLOY 230	MILITARY STANDARD
				MS52032
PROCUREMENT SPECIFICATION QQ-B-613		SUPERSEDES:		PAGE OF