



TABLE I. DASH NUMBERS.

DASH NO	A	B	TEMPER	FINISH
001	.0300	6.000	1/2 HARD	REGULAR BRIGHT
003	.0625	.500	1/2 HARD	MATTE

REQUIREMENTS:

1. MATERIAL. STEEL, CARBON, GRADE 1020 (UNS G10200) AS SPECIFIED IN ASTM A109-83.
2. LENGTH. STANDARD LENGTH OF STRIP IS 10 FEET MINIMUM, 12 FEET MAXIMUM.
3. FORMING PROCESS. COLD ROLLED.
4. FINISH. AS SPECIFIED IN TABLE I.
5. TEMPER. AS SPECIFIED IN TABLE I.
6. PART NUMBER. THE PART NUMBER CONSISTS OF THE BASIC MS NUMBER, PLUS A DASH NUMBER FROM TABLE I.
 EXAMPLE: MS52041-003
 DASH NUMBER FROM TABLE I
 BASIC MS NUMBER
7. MARKING. LOW CARBON STEEL SHALL BE MARKED IN ACCORDANCE WITH FED-STD-183 WITH THE EXCEPTION THAT A PART NUMBER FROM THIS MILITARY STANDARD SHALL BE INCLUDED AS PART OF THE IDENTIFICATION MARKING.

NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. ALL METAL STRIPS SHALL HAVE A NATURAL MILL EDGE.
3. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS, OR REQUEST FOR PROPOSAL, EXCEPT THE REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.
4. FOR DESIGN FEATURE PURPOSES THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

P.A. Other Cust	MR AS 99	INTERNATIONAL INTEREST	TITLE STRIP, METAL, LOW CARBON STEEL (1020) COLD ROLLED	MILITARY STANDARD MS52041
PROCUREMENT SPECIFICATION ASTM A109-83		SUPERSEDES:		PAGE OF

USER ACTIVITIES:

REVIEWER ACTIVITIES:
AIR FORCE -84

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.