



FED. SUP CLASS
1870


FERRULE



GROMMET

MS PART NO.	L	FORMER PART NO.	MS PART NO.	L	FORMER PART NO.
MS70104-1	9.00	4SD18946-4	MS70104-5	24.25	AN6570-3A
MS70104-2	18.00	—	MS70104-6	28.25	AN6570-4
MS70104-3	20.00	AN6570-1A	MS70104-7	30.00	AN6570-6
MS70104-4	21.00	AN6570-2A	MS70104-8	13.00	—

PREPARING ACTIVITY: ARMY-GL

CUSTODIAN: ARMY-GL NAVY-AS

AIR FORCE-08

REVIEW: ARMY-AY, NAVY-NE, USAF-02

USER:

PROJECT NUMBER: 1870-0000

DISTRIBUTION STATEMENT A

MILITARY SPECIFICATION SHEET

TITLE

HOUSING, PARACHUTE RIPCORDER

SPECIFICATION SHEET NUMBER

MS 70104E, 20 AUG 1993

SUPERSEDING

MS 70104D, 19 OCT 1973

ANEC- N/A


FSC- 1870

APPROVED FOR PUBLIC RELEASE, DISTRIBUTION IS UNLIMITED


Page 1 of 2

FED. SUP CLASS
1570

THE REQUIREMENTS FOR ASSEMBLING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DOCS SPECIFIED IN THE SOLICITATION: MIL-H-7250 - HOUSING, PARACHUTE RIPCORD



$L \pm .125$



ASSEMBLY

PREPARING ACTIVITY: ARMY-GL
CUSTODIAN: ARMY-GL NAVY-AS
AIR FORCE-88

REVIEW: ARMY-AV, NAVY-PC, USAF-82
USER.

PROJECT NUMBER: 1870-0808

DISTRIBUTION STATEMENT A:

MILITARY SPECIFICATION SHEET

TITLE
HOUSING, PARACHUTE RIPCORD

SPECIFICATION SHEET NUMBER

MS 70104E, 20 AUG 1993

SUPERSEDING

MS 70104D, 19 OCT 1973

AFC- N/A

FSC- 1870

APPROVED FOR PUBLIC RELEASE, DISTRIBUTION IS UNLIMITED

Page 2 of 3

FED. SUP. CLASS
1670

REQUIREMENTS,

LENGTH SHALL BE MEASURED UNDER FIVE POUNDS TENSION.

MS PART NUMBERS FOR SPECIFIC LENGTHS ARE UNIVERSALLY, FUNCTIONALLY, AND DIMENSIONALLY INTERCHANGEABLE WITH SUPERSEDED PART NUMBERS FOR THE SAME LENGTHS.

MATERIALS:

FLEXIBLE TUBING - CRES. COMPOSITION 302, CONDITION OPTIONAL OF MIL-S-50S9.

FERRULES CRES COMPOSITION AISI 302/SAE 30302 OR AISI 305/SAE 30305
OF FED-STD-66

GROMMETS BRASS, ALLOY AND TEMPER OPTIONAL, MIL-T-46072

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS $\pm .015$

REMOVE ALL BURRS AND BREAK ALL SHARP EDGES.

MARKING, THE APPLICABLE MS PART NUMBER SHALL BE PERMANENTLY INDENTED IN ANY CONVENIENT LOCATION ON ONE FERRULE.

NOTES:

1. FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
2. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BIDS.
3. PART NUMBER: THE MS PART NUMBER CONSISTS OF THE MS NUMBER PLUS THE DASH NUMBER. EXAMPLE: MS 70104-3.

PREPARING ACTIVITY: ARMY-GL

CUSTODIAN: ARMY-GL NAVY-AS

AIR FORCE-BS

REVIEW: ARMY-AV, NAVY-EC, USAF-S2

USER:

PROJECT NUMBER, 1670-0808

DISTRIBUTION STATEMENT A:

MILITARY SPECIFICATION SHEET

TITLE

HOUSING, PARACHUTE RIPCORD

SPECIFICATION SHEET NUMBER

MS 70104E, 20 AUG 1993

SUPERSEDING

MS 70104D 19 OCT 1973

NWC- M/A

FEC- 1670

APPROVED FOR PUBLIC RELEASE, DISTRIBUTION IS UNLIMITED

Page 2 of 2

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THE INDEX OF THE DESIGN SPECIFIED IN THE SOLICITATION. MIL-H-7750 - HOUSING, PARACHUTE RIPCORD

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE. SELECTION OF ALL NEW ENGINEERING AND DESIGN APPLICATIONS FOR REPETITIVE USE SHALL BE MADE FROM THIS DOCUMENT.