


FED SUP CLASS  
5975

DASH NO.	FIN
-1	

## NOTES:

1. MATERIAL SHALL BE STEEL, FS 1020 PER FEDERAL SPECIFICATION QQ-S-633.
2. FINISH SHALL BE HOT DIP ZINC COAT PER SPECIFICATION MIL-Z-17871 & BE GIVEN A CHROMATE TREATMENT PER SPECIFICATION MIL-T-704
3. MARKING SHALL MEET THE APPLICABLE REQUIREMENTS OF MIL-STD-130
4. REFERENCED DOCUMENT SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BIDS.
5. THIS STANDARD TAKES PRECEDENCE OVER DOCUMENT REFERENCED HEREIN.
6. THIS DOCUMENT HAS BEEN PROMULGATED BY THE DEPARTMENT OF DEFENSE AS THE MILITARY STANDARD TO LIMIT THE SELECTION OF THE ITEM, PRODUCT, OR DESIGN COVERED HEREIN IN ENGINEERING, DESIGN, AND PROCUREMENT. THIS STANDARD SHALL BECOME EFFECTIVE NOT LATER THAN 30 DAYS AFTER THE LATEST DATE OF APPROVAL SHOWN.

ALL DIMENSIONS IN INCHES. TOLERANCES SHALL BE  $\pm 1/32$  UNLESS OTHERWISE SHOWN. ANGLES  $1^\circ$

APPROVED 2 Feb 60 REVISED

51gC  
MC  
USAF

OTHER INT.  
6-EO  
D-  
M-

**MILITARY STANDARD**  
STAKE, GUY, ANTENNA

MS 75019

MIL-S-55094

SUPERSEDES:

SHEET 1 OF 1

DD FORM 672-1

THIS DOCUMENT CONTAINS NEITHER RECOMMENDATIONS NOR CONCLUSIONS OF THE UNITED STATES GOVERNMENT. IT IS THE PROPERTY OF THE UNITED STATES GOVERNMENT AND IS LOANED TO YOUR ORGANIZATION; IT AND ITS CONTENTS ARE NOT TO BE DISTRIBUTED OUTSIDE YOUR ORGANIZATION. IT IS TO BE RETURNED TO THE UNITED STATES GOVERNMENT WHEN REQUESTED.