



NOTE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have furnished, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication as an endorsement in any manner of the holder or any other person or corporation, or concerning any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.



MS PART NO.	DIMENSIONS		
	A	B	C
MS90134-1	.625	.313	.062
MS90134-2	.625	.490	.062
MS90134-3	.731	.615	.062
MS90134-4	.600	.450	.062
MS90134-5	.709	.626	.062
MS90134-6	.523	.405	.062
MS90134-7	.671	.500	.062
MS90134-8	.882	.758	.062

MATERIAL: SILICONE RUBBER CONFORMING TO CLASS IIA, GRADE 50 OR 60, OF SPECIFICATION MIL-R-5847 EXCEPT THAT THE OIL-IMMERSION TEST IS NOT APPLICABLE.

1. All dimensions in inches.
2. Tolerances are $\pm .005$.
3. Referenced documents shall be of the issue in effect or date of invitations for bid.
4. This standard takes precedence over documents referenced herein.

**(D) INACTIVE FOR NEW DESIGN.
NO SUPERSEDING STANDARD.**

P.A. EL	TITLE	MILITARY STANDARD
Other Cust EC, 80	GASKETS; PART OF RF COAXIAL CONNECTORS	MS90134
Procurement Specification MIL-C-71	SUPERSEDES:	SHEET 1 OF 1

DD FORM 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

5935-1888-2

APPROVED 7 Dec 1951 REVISED 28 Oct 1957 5 June 1959 6 Dec 1961 4 May 1973

FED. SUP CLASS
5935