


FED. SUP CLASS

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government hereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have furnished, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.



LIST OF MATERIAL - QUANTITIES FOR ONE UNIT

DASH NO.	NAME	QTY.	MATERIAL	SPECIFICATION	REQUIREMENTS
-1	ADAPTER ASSY	1			
-2	ADAPTER BODY	1	NAVAL BRASS	QQ-B-637	
-3	ADAPTER CAP	1	NAVAL BRASS	QQ-B-637	
-4	SAFETY DISC	1	(SEE NOTE 1)		
-5	SAFETY WASHER	1	PHENOLIC	MIL-P-15037, TYPE GMG	

DIMENSIONS ARE IN INCHES

TOLERANCES UNLESS NOTED

DECIMAL DIMENSIONS $\pm .005$ FRACTIONAL DIMENSIONS $\pm \frac{1}{64}$ ANGULAR DIMENSIONS $\pm 0^{\circ}15'$

NOTES

1. Safety Disc, -4, to burst at 476 p.s.i. $\pm 5\%$ when installed as shown with a $.404 \pm .001$ dia. hole in Adapter Cap, -3, and at 2150 p.s.i. $\pm 5\%$ when the hole in the Adapter Cap is $.116 \pm .001$ diameter. Material shall be noncorrodible, and otherwise suitable, when used for the purpose intended under all service conditions.

2. All parts shall be clean, dry and free from oil, grease, and other foreign substances.

3. Break all sharp edges, except as noted.


4. All fillet radii to be $1/64$, except as noted.

This standard has been approved by the Department of the Army and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

P.A. WP Other Cust	TITLE SERVICING ADAPTER LOW PRESSURE OXYGEN	MILITARY STANDARD
PROCUREMENT SPECIFICATION	SUPERSEDES:	MS-90330 WEP
		SHEET 1 OF 3

FED. SUP CLASS

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have furnished, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.




-2

This standard has been approved by the Department of the Army and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

P.A. WP Other Cust	TITLE SERVICING ADAPTER LOW PRESSURE OXYGEN	MILITARY STANDARD MS-90330 WEP
PROCUREMENT SPECIFICATION	SUPERSEDES:	SHEET 2 OF 3

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the Department of the Army and is mandatory for use by all military activities. All other military activities are required to employ this standard where suitable.



APPROVED 2 Feb 1965 REVISED

P.A. WP Other Cast	TITLE SERVICING ADAPTER LOW PRESSURE OXYGEN	MILITARY STANDARD
		MS-90330WEP
PROCUREMENT SPECIFICATION	SUPERSEDES:	SHEET 3 OF 3