



FED. SUP CLASS  
6115

**NOTES :**

1. MATERIAL: ALUMINUM, DIE CAST, PER QQ-A-591, ALLOY NO. 380.
2. FINISH: ANODIZE, IN ACCORDANCE WITH MIL-A-8625.
3. WEIGHT: 0.750 POUND MAX.
4. DIMENSION IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES DECIMALS  $\pm .016$ , FRACTIONS  $\pm 1/32$  ANGLES  $\pm 1/2$ .
5. BREAK ALL SHARP EDGES AND REMOVE ALL BURRS.



**SECTION B-B**



FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.  
REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

(A) ENTIRE STD REVISED AND REDRAWN

P.A. NAVY - AS Other Code	TITLE  ADAPTER, GENERATOR TO AIR DUCT RADIAL, 2 INCH	MILITARY STANDARD
		MS 90333(AS)
PROCUREMENT SPECIFICATION WORK	REQUISITE	SHEET 1 OF 1

This military standard is approved by MEMPHIS AIR (SYSTEMS) COMMANDING, Department of the Army and shall be used by units on duty. All other military operations are regulated by existing rules standing alone separate.

APPROVED 29 OCT 1964 REVISED A 22 Feb 1973



FOLD

DEPARTMENT OF THE NAVY  
Naval Air Engineering Center  
Philadelphia, PA 19112

OFFICIAL BUSINESS

POSTAGE AND FEES PAID  
DEPARTMENT OF THE NAVY  
DOD 316



Engineering Specifications and Standards Department (Code X)  
Naval Air Engineering Center  
Philadelphia, PA 19112

FOLD

