



FED. SUP CLASS
6115

NOTES :

1. MATERIAL: ALUMINUM, DIE CAST, PER QQ-A-591, ALLOY NO. 380.
2. FINISH: ANODIZE, IN ACCORDANCE WITH MIL-A-8625.
3. WEIGHT: 0.750 POUND MAX.
4. DIMENSION IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES DECIMALS $\pm .016$, FRACTIONS $\pm 1/32$ ANGLES $\pm 1/2$.
5. BREAK ALL SHARP EDGES AND REMOVE ALL BURRS.



SECTION B-B



FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

(A) ENTIRE STD REVISED AND REDRAWN

P.A. NAVY - AS Other Code	TITLE ADAPTER, GENERATOR TO AIR DUCT RADIAL, 2 INCH	MILITARY STANDARD
		MS 90333(AS)
PROGRESSIVE SPECIFICATION WORK	REVISION	SHEET 1 OF 1

This military standard is approved by JANTA and (PVT) CHANDAN, Department of the Army and shall be used by all other military personnel are required to comply with standard when applicable.

APPROVED 29 OCT 1964 REVISED A 22 Feb 1973

FOLD

DEPARTMENT OF THE NAVY
Naval Air Engineering Center
Philadelphia, PA 19112

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DOD 316



Engineering Specifications and Standards Department (Code X)
Naval Air Engineering Center
Philadelphia, PA 19112

FOLD

